



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

CATALOG 2024





High-Tech Enterprise

YBA®

烨柏®

YEBO®
AUTOMATION

Professional - Quality - Benefit

Products Portfolio

YBA-B002&HA



Articulated Arm

YBA-B003



Operator Handle

YBA-B004



Operator Panel

YBA-B005



Selector

YBA-B007



Handy Lift

YBA-B008



Torque Arm

YBA-B009




Torque Carbo Arm

YBA-SPC



TPS Controller

YBA-B014



Pre-tightening Module

YBA-B017



Crowfoot Head

YBA-B018



Spindle Nutrunner
Carrier

YBA-B020




Swiveling Suspension
Yoke

YBA-B029



Work Bench

YBA-B031



Aluminum Crane Rail



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Air Balance Articulated Arms B002

Patent Certificate
Number:
ZL201630304167.7



Model	Max. Torque [Nm]		Max. Load [Kg]	Vertical Stroke [mm]	Reach Range [mm]
	Vertical	Horizontal			
YBA-B002-250R	250	250	30	400 ~ 700mm	1300 ~ 2200mm
YBA-B002-250L	250	250	30	400 ~ 700mm	1300 ~ 2200mm
YBA-B002-500R	500	500	60	1000 ~ 1800mm	2000 ~ 3000mm
YBA-B002-500L	500	500	60	1000 ~ 1800mm	2000 ~ 3000mm
YBA-B002-1000R	1000	1000	80	1100 ~ 2100mm	2000 ~ 3500mm
YBA-B002-1000L	1000	1000	80	1100 ~ 2100mm	2000 ~ 3500mm
YBA-B002-2000R	2000	2000	90	1900 ~ 2600mm	3000 ~ 4500mm
YBA-B002-2000L	2000	2000	90	1900 ~ 2600mm	3000 ~ 4500mm








High-Tech Enterprise



Professional - Quality - Benefit

Air Balance Articulated Arms B002





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Arm HA

HA Series Handy Arm





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Arm HA

Model	Folding Side	Max. Torque [Nm]	Reach Capacity R [mm]	Tube Length H [mm]	Stroke Z [mm]	Arm Height T [mm]
Standard						
YBA-HA100-L1500-Z500H1000	Left	100	1500	1000	500	2500
YBA-HA100-R1500-Z500H1000	Right	100	1500	1000	500	2500
YBA-HA100-L2000-Z500H1000	Left	100	2000	1000	500	2500
YBA-HA100-R2000-Z500H1000	Right	100	2000	1000	500	2500
YBA-HA100-L2500-Z500H1000	Left	100	2500	1000	500	2500
YBA-HA100-R2500-Z500H1000	Right	100	2500	1000	500	2500
YBA-HA200-L1500-Z500H1000	Left	200	1500	1000	500	2500
YBA-HA200-R1500-Z500H1000	Right	200	1500	1000	500	2500
YBA-HA200-L2000-Z500H1000	Left	200	2000	1000	500	2500
YBA-HA200-R2000-Z500H1000	Right	200	2000	1000	500	2500
YBA-HA200-L2500-Z500H1000	Left	200	2500	1000	500	2500
YBA-HA200-R2500-Z500H1000	Right	200	2500	1000	500	2500
YBA-HA300-L1500-Z500H1000	Left	300	1500	1000	500	2500
YBA-HA300-R1500-Z500H1000	Right	300	1500	1000	500	2500
YBA-HA300-L2000-Z500H1000	Left	300	2000	1000	500	2500
YBA-HA300-R2000-Z500H1000	Right	300	2000	1000	500	2500
Arm with TPS						
YBA-HA100P-L1500-Z500H1000	Left	100	1500	1000	500	2500
YBA-HA100P-R1500-Z500H1000	Right	100	1500	1000	500	2500
YBA-HA100P-L2000-Z500H1000	Left	100	2000	1000	500	2500
YBA-HA100P-R2000-Z500H1000	Right	100	2000	1000	500	2500
YBA-HA100P-L2500-Z500H1000	Left	100	2500	1000	500	2500
YBA-HA100P-R2500-Z500H1000	Right	100	2500	1000	500	2500
YBA-HA200P-L1500-Z500H1000	Left	200	1500	1000	500	2500
YBA-HA200P-R1500-Z500H1000	Right	200	1500	1000	500	2500
YBA-HA200P-L2000-Z500H1000	Left	200	2000	1000	500	2500
YBA-HA200P-R2000-Z500H1000	Right	200	2000	1000	500	2500
YBA-HA200P-L2500-Z500H1000	Left	200	2500	1000	500	2500
YBA-HA200P-R2500-Z500H1000	Right	200	2500	1000	500	2500
YBA-HA300P-L1500-Z500H1000	Left	300	1500	1000	500	2500
YBA-HA300P-R1500-Z500H1000	Right	300	1500	1000	500	2500
YBA-HA300P-L2000-Z500H1000	Left	300	2000	1000	500	2500
YBA-HA300P-R2000-Z500H1000	Right	300	2000	1000	500	2500

Notice:

1. Can be customized products.
2. Model key see right picture

YBA – HA 100 P - R 1500 T2000 – Z500 H1000

Max. torque	Encoder	Articulated	Max. Reach	Column	Z Stroke	Tube Length
100 → 60Nm	Blank → No	L → Left	1000mm	Height	300 → 300mm	
200 → 160Nm	P → X/Y	R → Right	1250mm		400 → 400mm	
300 → 300Nm	ZP → X/Y/Z		1500mm		500 → 500mm	
500 → 500Nm			1750mm			
			2000mm			
			2500mm			






High-Tech Enterprise



Professional - Quality - Benefit

Handy Arm HA





High-Tech Enterprise




Professional - Quality - Benefit

Operator Handle B003

Patent Certificate Number:

ZL201430242625.X
ZL201430242684.7
ZL201430313735.0
ZL201530411443.5
ZL201630086429.7
ZL201630487297.0
ZL201630487290.7
ZL201630487296.4
ZL201630487289.4
ZL201630486985.3
ZL201630475825.9





High-Tech Enterprise













烨柏®



Professional - Quality - Benefit

Operator Handle B003

Operator Handle (Electric Control)

Lever (1NC/NO)  YBA-B003-101	Lever (1NC/NO) Toggle (1NC/NO)  YBA-B003-102	Lever (1NC/NO) LED (R/G)  YBA-B003-103	Lever (1NC/NO) Toggle (1NC/NO) LED (R&G)  YBA-B003-104
Button (1NC/NO)  YBA-B003-201	Button (1NC/NO) Toggle (1NC/NO)  YBA-B003-202	Button (1NC/NO) LED (R&G)  YBA-B003-203	Button (1NC/NO) Toggle (1NC/NO) LED (R&G)  YBA-B003-204
Lever (1NO)  YBA-B003-0301	Lever (1NO) LED ((R&G)  YBA-B003-0302	Lever (1NO) Toggle (1NC/NO)  YBA-B003-0303	Lever (1NO) Button (2NO)  YBA-B003-0304
Lever (1NO) Button (2NO) LED (R&G)  YBA-B003-0305	Lever (1NO) Button (2NO) Toggle (1NC/NO)  YBA-B003-0306	Button (1NO)  YBA-B003-0501	Button (2NO)  YBA-B003-0502

Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Operator Handle B003

Operator Handle (Electric Control)

 Lever (1NO) Button (2NO)	 Button (1NO) Button (1NC/NO) LED (R/G)	 Lever (1NO) Rotation (1NC/NO) LED (R/G/Y) E-Stop (1NC)	 Lever (1NO) Rotation (1NC/1NO) LED (R/G/Y) Output spindle
YBA-B003-0503	YBA-B003-901	YBA-B003-903	YBA-B003-904
 Button (1NO)			
YBA-B003-301			

Operator Handle (Air Control)

 Single valve (5 way with 2 position)	 Single valve (3 way with 2 position)	 Double valve (3 way with 2 position)	
YBA-B003-105	YBA-B003-0507	YBA-B003-0508	

Operator Handle

 M8 Screw hole	 M10 Screw hole	 M12 Bolt Push pole	 M12 Screw hole
YBA-B003-302	YBA-B003-303	YBA-B003-304	YBA-B003-305

Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Operator Handle B003

Switch overview

Model	Operate	Lever	Button	Toggle	Rottation	E-Stop	LED	Length [mm]	Weight [Kg]	Mounting Hole
YBA-B003-101L	Left Hand	1NC/NO	-	-	-	-	-	185	0.8	2*M6
YBA-B003-101R	Right Hand	1NC/NO	-	-	-	-	-	185	0.8	2*M6
YBA-B003-102L	Left Hand	1NC/NO	-	1NC/NO	-	-	-	185	0.8	2*M6
YBA-B003-102R	Right Hand	1NC/NO	-	1NC/NO	-	-	-	185	0.8	2*M6
YBA-B003-103L	Left Hand	1NC/NO	-	-	-	-	R/G	185	0.8	2*M6
YBA-B003-103R	Right Hand	1NC/NO	-	-	-	-	R/G	185	0.8	2*M6
YBA-B003-104L	Left Hand	1NC/NO	-	1NC/NO	-	-	R/G	185	0.8	2*M6
YBA-B003-104R	Right Hand	1NC/NO	-	1NC/NO	-	-	R/G	185	0.8	2*M6
YBA-B003-201L	Left Hand	-	1NC/NO	-	-	-	-	237	0.8	1*M8+2*Ø5
YBA-B003-201R	Right Hand	-	1NC/NO	-	-	-	-	237	0.8	1*M8+2*Ø5
YBA-B003-202L	Left Hand	-	1NC/NO	1NC/NO	-	-	-	237	0.8	1*M8+2*Ø5
YBA-B003-202R	Right Hand	-	1NC/NO	1NC/NO	-	-	-	237	0.8	1*M8+2*Ø5
YBA-B003-203L	Left Hand	-	1NC/NO	-	-	-	R/G	237	0.8	1*M8+2*Ø5
YBA-B003-203R	Right Hand	-	1NC/NO	-	-	-	R/G	237	0.8	1*M8+2*Ø5
YBA-B003-204L	Left Hand	-	1NC/NO	1NC/NO	-	-	R/G	237	0.8	1*M8+2*Ø5
YBA-B003-204R	Right Hand	-	1NC/NO	1NC/NO	-	-	R/G	237	0.8	1*M8+2*Ø5
YBA-B003-0301L	Left Hand	1NO	-	-	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0301R	Right Hand	1NO	-	-	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0302L	Left Hand	1NO	-	-	-	-	R/G	190	0.9	4*M6+1*M8
YBA-B003-0302R	Right Hand	1NO	-	-	-	-	R/G	190	0.9	4*M6+1*M8
YBA-B003-0303L	Left Hand	1NO	-	1NC/NO	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0303R	Right Hand	1NO	-	1NC/NO	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0304L	Left Hand	1NO	2NO	-	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0304R	Right Hand	1NO	2NO	-	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0305L	Left Hand	1NO	2NO	-	-	-	R/G	190	0.9	4*M6+1*M8
YBA-B003-0305R	Right Hand	1NO	2NO	-	-	-	R/G	190	0.9	4*M6+1*M8
YBA-B003-0306L	Left Hand	1NO	2NO	1NC/NO	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0306R	Right Hand	1NO	2NO	1NC/NO	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0501L	Left Hand	-	1NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0501R	Right Hand	-	1NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0502L	Left Hand	-	2NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0502R	Right Hand	-	2NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0503L	Left Hand	1NO	2NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0503R	Right Hand	1NO	2NO	-	-	-	-	170	0.6	2-M6
YBA-B003-301	Both	-	1NO	-	-	-	-	150	0.4	M12
YBA-B003-901	Both	-	1NO+1NC/NO	-	-	-	R/G	150	0.4	2-M6
YBA-B003-903	Both	-	1NO	-	1NC/NO	1NC	R/G/Y	150	0.4	4*M4
YBA-B003-904	Both	-	1NO	-	1NC/NO	1NC	R/G/Y	150	0.4	4*M4



High-Tech Enterprise







烨柏®



Professional - Quality - Benefit

Operator Handle B003

Operator Handle with ball mounting (Electric control)

	 Button (2NO)	 Button (1NC/1NO)	 Button (1NC/NO) Button (2NO)
YBA-B003-401	YBA-B003-402	YBA-B003-403	YBA-B003-404
 Button (1NC/1NO) Button (4NO)	 Button (1NO) Toggle (1NC/NO)	 Button (1NO) Toggle (1NC/NO) Encoder (16)	 Button (1NO) Toggle (1NC/NO) Button (4NO)
YBA-B003-405	YBA-B003-406	YBA-B003-407	YBA-B003-408
 Button (1NO) Toggle (1NC/NO) Button (4NO) Encoder (16)	 Button (1NO) Toggle (1NC/NO) LED (R/G)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Encoder (16)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Button (4NO)
YBA-B003-409	YBA-B003-410	YBA-B003-411	YBA-B003-412
 Button (1NO) Toggle (1NC/NO) Button (4NO) Encoder (16) LED (R/G)	 Button (2NO)	 Button (3NO)	 Button (1NO) Toggle (1NC/NO) Button (4NO) E-Stop (1NC)
YBA-B003-413	YBA-B003-414	YBA-B003-415	YBA-B003-417

Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise



烨柏®








Professional - Quality - Benefit

Operator Handle B003

Operator Handle with ball mounting (Electric control)

 Button (1NO) E-Stop (1NC)			
YBA-B003-418			

Mounting bracket for ball

			
YBA-B003-801	YBA-B003-802	YBA-B003-803	YBA-B003-804
Bracket	Bracket	Connector	Connector to pole
			
YBA-B003-814			
Extension			



Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise







烨柏®



Professional - Quality - Benefit

Operator Handle B003

Operator Handle with cylinder mounting (Electric control)

	 Button (2NO)	 Button (1NC/NO)	 Button (1NC/NO) Button (2NO)
YBA-B003-601	YBA-B003-602	YBA-B003-603	YBA-B003-604
 Button (1NC/NO) Button (4NO)	 Button (1NO) Toggle (1NC/NO)	 Button (1NO) Toggle (1NC/NO) Encoder (16)	 Button (1NO) Toggle (1NC/NO) Button (4NO)
YBA-B003-605	YBA-B003-606	YBA-B003-607	YBA-B003-608
 Button (1NO) Toggle (1NC/NO) Button (4NO) Encoder (16)	 Button (1NO) Toggle (1NC/NO) LED (R/G)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Encoder (16)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Button (4NO)
YBA-B003-609	YBA-B003-610	YBA-B003-611	YBA-B003-612
 Button (1NO)	 Button (2NO)	 Button (3NO)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Button (4NO) Encoder (16)
YBA-B003-613	YBA-B003-614	YBA-B003-615	YBA-B003-616

Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise






烨柏®



Professional - Quality - Benefit

Operator Handle B003

Mounting bracket for cylinder

			
YBA-B003-805	YBA-B003-806	YBA-B003-807	YBA-B003-816
Bracket	Bracket	Bracket	Connector to Pole

Switch Overview

Model	Button	Toggle	E-Stop	Encoder	LED	Length [mm]	Weight [Kg]	Mounting
YBA-B003-401	-	-	-	-	-	285	0.7	Ball
YBA-B003-402	2NO	-	-	-	-	285	0.75	Ball
YBA-B003-403	1NC/NO	-	-	无	-	285	0.7	Ball
YBA-B003-404	1NC/NO+2NO	-	-	无	-	285	0.75	Ball
YBA-B003-405	1NC/NO+4NO	-	-	无	-	285	0.8	Ball
YBA-B003-406	1NO	1NC/NO	-	无	-	285	0.7	Ball
YBA-B003-407	1NO	1NC/NO	-	16位	-	320	0.7	Ball
YBA-B003-408	1NO+4NO	1NC/NO	-	-	-	285	0.8	Ball
YBA-B003-409	1NO+4NO	1NC/NO	-	16位	-	320	0.8	Ball
YBA-B003-410	1NO	1NC/NO	-	-	红/绿	285	0.7	Ball
YBA-B003-411	1NO	1NC/NO	-	16位	红/绿	320	0.7	Ball
YBA-B003-412	1NO+4NO	1NC/NO	-	-	红/绿	285	0.8	Ball
YBA-B003-413	1NO+4NO	1NC/NO	-	16位	红/绿	320	0.8	Ball
YBA-B003-414	2NO	-	-	-	-	285	0.75	Ball
YBA-B003-415	1NO+2NO	-	-	-	-	285	0.75	Ball
YBA-B003-417	1NO+4NO	1NC/NO	1NC	-	-	340	0.8	Ball
YBA-B003-418	1NC/NO	-	1NC	-	-	340	0.7	Ball
YBA-B003-601	-	-	-	-	-	255	0.7	Cylinder
YBA-B003-602	2NO	-	-	-	-	255	0.75	Cylinder
YBA-B003-603	1NC/NO	-	-	-	-	255	0.7	Cylinder
YBA-B003-604	1NC/NO+2NO	-	-	-	-	255	0.75	Cylinder
YBA-B003-605	1NC/NO+4NO	-	-	-	-	255	0.8	Cylinder
YBA-B003-606	1NO	1NC/NO	-	-	-	255	0.7	Cylinder
YBA-B003-607	1NO	1NC/NO	-	16位	-	285	0.7	Cylinder
YBA-B003-608	1NO+4NO	1NC/NO	-	-	-	255	0.8	Cylinder
YBA-B003-609	1NO+4NO	1NC/NO	-	16位	-	285	0.8	Cylinder
YBA-B003-610	1NO	1NC/NO	-	-	红/绿	255	0.7	Cylinder
YBA-B003-611	1NO	1NC/NO	-	16位	红/绿	285	0.7	Cylinder
YBA-B003-612	1NO+4NO	1NC/NO	-	-	红/绿	255	0.8	Cylinder
YBA-B003-613	1NO	-	-	-	-	170	0.35	Cylinder
YBA-B003-614	2NO	-	-	-	-	255	0.75	Cylinder
YBA-B003-615	1NO+2NO	-	-	-	-	255	0.75	Cylinder
YBA-B003-616	1NO+4NO	1NC/NO	1NC	16位	红/绿	285	0.8	Cylinder



High-Tech Enterprise



Professional - Quality - Benefit

Operator Panel B004

**Patent Certificate
Number:**
ZL201630475826.3
ZL201630475831.4





High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Operator Panel B004

LM Series



Model

YBA-B004-LM010



Model

YBA-B004-LM011



Model

YBA-B004-LM012

Notice: 1. The button, led, and mark can be configured by requirement
2. Equipped with 15m cable



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Operator Panel B004

P7 Series



Model

YBA-B004-P7A



Model

YBA-B004-P7B

Parameter

Display: 7" 65,536 color TFT LCD
CPU: 32Bit RISC 400MHz processor
Dram: 64 MB DDR2 on board
Storage: 128 MB flash memory on board,
I/O: 3 serial ports: Com1: RS-232/RS-485 2w/4w,
Com2: RS-232,
Com3: RS-232/RS-485 2w
1 Ethernet port (10/100Base-T)
1 USB 1.1 host
1 USB 2.0 high speed device
Sound output: Line out
RTC: Built-in
Power input: 24±20%VDC, 250mA@24VDC



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Operator Panel B004

A Series



Model	Length [mm]	Comments
YBA-B004-A320	320	Holes for Button, Led can be machined upon request
YBA-B004-A440	440	Holes for Button, Led can be machined upon request
YBA-B004-A540	540	Holes for Button, Led can be machined upon request
YBA-B004-A650	650	Holes for Button, Led can be machined upon request
YBA-B004-A750	750	Holes for Button, Led can be machined upon request

Notice:

1. The length of panel can be configured by request. The Model is YBA-B004-A" L" , " L" is the length with mm unit
2. Button, Led, and mark can be configured by request





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Selector B005



Patent certificate
number:
ZL201420396412.7
ZL201630086417.4





High-Tech Enterprise





烨柏®



Professional - Quality - Benefit

Selector B005

B Series Selector by socket (Socket Tray)



Mounting Parts (Optional)

Model

YBA-B005-M001

Name	Model	Order Number Inc. Cable	
		5m	10m
4 Position Standard	YBA-B005-04B	YBA-B005-04B-05M	YBA-B005-04B-10M
4 Position Advanced	YBA-B005-04BIO	YBA-B005-04BIO-05M	YBA-B005-04BIO-10M
6 Position Standard	YBA-B005-06B	YBA-B005-06B-05M	YBA-B005-06B-10M
6 Position Advanced	YBA-B005-06BIO	YBA-B005-06BIO-05M	YBA-B005-06BIO-10M
8 Position Standard	YBA-B005-08B	YBA-B005-08B-05M	YBA-B005-08B-10M
8 Position Advanced	YBA-B005-08BIO	YBA-B005-08BIO-05M	YBA-B005-08BIO-10M
10 Position Standard	YBA-B005-10B	YBA-B005-10B-05M	YBA-B005-10B-10M
10 Position Advanced	YBA-B005-10BIO	YBA-B005-10BIO-05M	YBA-B005-10BIO-10M

Note: Suitable for socket with diameter 10-40mm



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Selector B005

C/A/D Series by Socket



08C



04C



08A

Order Number Inc. Cable

Name	Model	5m	10m
4 Position Standard	YBA-B005-04C	YBA-B005-04C-05M	YBA-B005-04C-10M
8 Position Standard	YBA-B005-08C	YBA-B005-08C-05M	YBA-B005-08C-10M
8 Position Standard	YBA-B005-08A2	YBA-B005-08A2-05M	YBA-B005-08A2-10M
8 Position Advanced	YBA-B005-08A2IO	YBA-B005-08A2IO-05M	YBA-B005-08A2IO-10M



04C2



05C



Order Number Inc. Cable

Name	Model	5m	10m
4 Position Standard	YBA-B005-04C2	YBA-B005-04C2-05M	YBA-B005-04C2-10M
5 Position Standard	YBA-B005-05C	YBA-B005-05C-05M	YBA-B005-05C-10M



04D



Order Number Inc. Cable

名称	型号	5m	10m
4 Position Standard	YBA-B005-04D	YBA-B005-04D-05M	YBA-B005-04D-10M
4 Position Advanced	YBA-B005-04DIO	YBA-B005-04DIO-05M	YBA-B005-04DIO-10M



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Selector B005

S Series by Bit (Bit Tray)



Name	Model	Order Number Inc. Cable	
		5m	10m
4 Position Standard	YBA-B005-04S	YBA-B005-04S-05M	YBA-B005-04S-10M
4 Position Advanced	YBA-B005-04SIO	YBA-B005-04SIO-05M	YBA-B005-04SIO-10M
6 Position Standard	YBA-B005-06S	YBA-B005-06S-05M	YBA-B005-06S-10M
6 Position Advanced	YBA-B005-06SIO	YBA-B005-06SIO-05M	YBA-B005-06SIO-10M
8 Position Standard	YBA-B005-08S	YBA-B005-08S-05M	YBA-B005-08S-10M
8 Position Advanced	YBA-B005-08SIO	YBA-B005-08SIO-05M	YBA-B005-08SIO-10M
10 Position Standard	YBA-B005-10S	YBA-B005-10S-05M	YBA-B005-10S-10M
10 Position Advanced	YBA-B005-10SIO	YBA-B005-10SIO-05M	YBA-B005-10SIO-10M

V Series by Socket



Name	Model	Order Number Inc. Cable	
		5m	10m
4 Position Standard	YBA-B005-04V	YBA-B005-04V-05M	YBA-B005-04V-10M
4 Position Advanced	YBA-B005-04VIO	YBA-B005-04VIO-05M	YBA-B005-04VIO-10M



High-Tech Enterprise



Professional - Quality - Benefit

Selector B005

12P Selector



Output	Can output 11 psets											
	1	2	3	4	5	6	7	8	9	10	11	12
OUT1												
OUT2												
OUT4												
OUT8												
COMMON												

Order Number Inc, Cable

Name	Model	5m	10m
Encoder 12P selector	YBA-B005-12X	YBA-B005-12X-05M	YBA-B005-12X-10M

Encoded Output Table for Socket tray and Bit tray

I/O Output	4 Position			
	1	2	3	4
OUT1				
OUT2				
OUT4				

I/O Output	6 Position					
	1	2	3	4	5	6
OUT1						
OUT2						
OUT4						

I/O Output	6 Position							
	1	2	3	4	5	6	7	8
OUT1								
OUT2								
OUT4								
OUT8								

I/O Output	10 Position									
	1	2	3	4	5	6	7	8	9	10
OUT1										
OUT2										
OUT4										
OUT8										



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Lift B007

Handy Lift



Patent Certificate Number:

ZL201420492040.8
ZL201620181682.5
ZL201620183211.8
ZL201630086418.9
ZL201630086420.6
ZL201630522737.X





High-Tech Enterprise



烨柏®




Professional - Quality - Benefit

Handy Lift B007

Model	Max. Torque[Nm]		Max. Load [Kg]	Stroke H [mm]	Tube Length L [mm]	Tube Size A [mm]	Stroke Pole Weight [Kg]	Output Width W [mm]
	Ver.	Hor.						
YBA-B007-A015HL-H200-L500	10	15	2	200	500	43 X 43	0.65	15
YBA-B007-A015HL-H300-L600	10	15	2	300	600	43 X 43	0.75	15
YBA-B007-A100HL-H300-L500	60	100	10	300	500	60 X 60	2.5	23
YBA-B007-A100HL-H400-L800	60	100	10	400	800	60 X 60	1.9	23
YBA-B007-A100HL-H500-L1000	60	100	10	500	1000	60 X 60	3.3	23
YBA-B007-A100HL-H600-L1500	60	100	10	600	1500	60 X 60	3.7	23
YBA-B007-A200HL-H300-L500	160	250	20	300	500	75 X 75	3.9	28
YBA-B007-A200HL-H400-L800	160	250	20	400	800	75 X 75	4.5	28
YBA-B007-A200HL-H500-L1000	160	250	20	500	1000	75 X 75	5.1	28
YBA-B007-A200HL-H600-L1500	160	250	20	600	1500	75 X 75	5.7	28
YBA-B007-A300HL-H300-L500	300	500	40	300	500	85 X 85	5.8	34
YBA-B007-A300HL-H400-L800	300	500	40	400	800	85 X 85	6.5	34
YBA-B007-A300HL-H500-L1000	300	500	40	500	1000	85 X 85	7.2	34
YBA-B007-A300HL-H600-L1500	300	500	40	600	1500	85 X 85	8.0	34
YBA-B007-A500HL-H400-L500	500	1000	70	400	500	105 X 105	11.8	45
YBA-B007-A500HL-H500-L800	500	1000	70	500	800	105 X 105	13.2	45
YBA-B007-A500HL-H600-L1000	500	1000	70	600	1000	105 X 105	14.6	45
YBA-B007-A500HL-H700-L1500	500	1000	70	700	1500	105 X 105	16	45


Notice: the stroke and length of tube can be customized by request.



Standard Handy Lift

Notice: Model key see below:

YBA - B007 - A 100 HL - H400 - L1200




MABC



MBC




MAB



Super Handy Lift

YBA - B007 - MABC 1500 - H600





High-Tech Enterprise




Professional - Quality - Benefit

Handy Lift B007

YBA-B007-015

- Max. load 2Kg
- Max. Torque 15Nm
- Max vertical stroke 350mm
- Work with A055 crane rail if needed
- Equipped with IR BLD balancer

Travelling Trolley Handy Lift 015



YBA-B031-264



Handy lift with Crane Rail



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Handy Lift B007

Handy Lift YBA-B007-015





High-Tech Enterprise




Professional - Quality - Benefit

Handy Lift B007


Handy Lift YBA-B007-100

- Max. load is 10Kg
- Max. torque is 100Nm
- Max. vertical stroke is 800mm
- Work with A065 crane rail if needed
- Equipped with IR BMDS balancer

Travelling Trolley Handy Lift 100



YBA-B007-100-L190



YBA-B031-265



YBA-B031-265M



Handy Lift with Crane Rail

Mounting Bracket
Swiveling
YBA-B007-LT100



Mounting Bracket
Fix
YBA-B007-T100





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Lift B007

Handy Lift YBA-B007-100





High-Tech Enterprise



Professional - Quality - Benefit

Handy Lift B007


Handy Lift YBA-B007-200

- Max. load 20Kg
- Max. torque 250Nm
- Max. vertical stroke 800mm
- Work with A105 crane rail
- Equipped with YEBO balancer


Travelling Trolley Handy Lift 200



YBA-B007-200-L450



Trolley with 200mm stroke
YBA-B007-200-L550-H200



Fall Arrester
YBA-B007-FZQ



Mounting Bracket
Swiveling
YBA-B007-LT200



Mounting Bracket
Fix
YBA-B007-T200



Handy Lift with Crane Rail



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Lift B007

Handy Lift YBA-B007-300

- Max. load 40Kg
- Max. torque 500Nm
- Vertical max. stroke 800mm
- Work with A105 Crane Rail
- Equipped with YEBO balancer

Travelling Trolley Handy Lift 300



YBA-B007-300-L450


Fall Arrester
YBA-B007-FZQ



Mounting Bracket
Swiveling
YBA-B007-LT300



Mounting Bracket
Fix
YBA-B007-T300



Handy Lift with Crane Rail



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Lift B007

Handy Lift YBA-B007-500



- Max. load 70Kg
- Max. torque 1000Nm
- Vertical max. stroke 800mm
- Work with A105 Crane rail
- Equipped with YEBO balancer

Travelling Trolley Handy Lift 500



YBA-B007-500-L500

Fall Arrester
YBA-B007-FZQ



Handy Lift with Crane Rail

Mounting Bracket
Swiveling
YBA-B007-LT500



Mounting Bracket
Fix
YBA-B007-T500





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Lift B007

Handy Lift YBA-B007-MABC



MABC




MBC



MAB

Travelling Trolley Handy Lift MABC



Swiveling
YBA-B007-MBC-X



Fix
YBA-B007-MBC-G



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Handy Lift B007

门架式力臂结构



Model key:

YBA-B007-A100HL-H400L1500 - 2500 X 1500

Handy Lift Model

Crane Rail X length

Crane Rail Y length



High-Tech Enterprise



烨柏®




Professional - Quality - Benefit

Handy Lift B007



Travelling Trolley Handy Lift



Travelling Trolley Handy Lift



Mounting Bracket
Swiveling



Mounting Bracket
Fix

Travelling Trolley Handy Lift

Model	Distance between wheel		Handy Lift	Comments
		[mm]		
YBA-B031-264		88	YBA-B007-A015HL	
YBA-B007-100-L190		190	YBA-B007-A100HL	
YBA-B031-265M		130	YBA-B007-A100HL	
YBA-B031-265		190	YBA-B007-A100HL	
YBA-B007-200-L450		450	YBA-B007-A200HL	
YBA-B007-200-L550-H200		550	YBA-B007-A200HL	
YBA-B007-300-L450		450	YBA-B007-A300HL	
YBA-B007-500-L500		500	YBA-B007-A500HL	
YBA-B007-MBC-X		850	YBA-B007-MBC&MABC	
YBA-B007-MBC-G		850	YBA-B007-MBC&MABC	
YBA-B007-MAB-X		850	YBA-B007-MAB	
YBA-B007-MAB-G		850	YBA-B007-MAB	

Mounting Bracket

Model	Bracket Size		Handy Lift	Comments
		[mm]		
YBA-B007-LT100		Ø77	YBA-B007-A100HL	Fix
YBA-B007-LT200		Ø82	YBA-B007-A200HL	Fix
YBA-B007-LT300		Ø94	YBA-B007-A300HL	Fix
YBA-B007-LT500		Ø110	YBA-B007-A500HL	Fix
YBA-B007-T100		66X66	YBA-B007-A100HL	Swiveling
YBA-B007-T200		69X69	YBA-B007-A200HL	Swiveling
YBA-B007-T300		78X78	YBA-B007-A300HL	Swiveling
YBA-B007-T500		90X90	YBA-B007-A500HL	Swiveling



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Lift B007

Balancer Mounting Bracket

Model	For Handy Lift	Inc. Balancer	Comments
YBA-B007-015-PHQ	YBA-B007-A015HL	BLD3	
YBA-B007-015-PHQ-B	YBA-B007-A015HL	BLD3	
YBA-B007-100-PHQ-B	YBA-B007-A100HL	BMD5-8	
YBA-B007-100-PHQ-2B	YBA-B007-A100HL	BMDLN-12	
YBA-B007-100-PHQ-B3	YBA-B007-A100HL	=	
YBA-B007-100-PHQ-C	YBA-B007-A100HL	-	
YBA-B007-200-PHQ2	YBA-B007-A200HL	YBA-EW-22	
YBA-B007-300-PHQ2	YBA-B007-A300HL	-	For ≥30Kg capacity balancer
YBA-B007-500-PHQ2	YBA-B007-A500HL	-	For ≥30Kg capacity balancer
YBA-B007-500-PHQ3	YBA-B007-A500HL	-	For ≥30Kg capacity balancer

YBA-B007-015-PHQ



YBA-B007-100-PHQ-B



YBA-B007-200-PHQ2



YBA-B007-300/500-PHQ2






High-Tech Enterprise



Professional - Quality - Benefit

Handy Lift B007

Application





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Lift B007

General Tool Holder

Universal: YBA-B007-J001		Universal: YBA-B007-J001T		Universal: YBA-B007-J002		Universal: YBA-B007-J001D	
Tool Dia: 30-55mm	Handy Lift: A100	Tool Dia: 30-55mm	Handy Lift: A100	Tool Dia: 25-40mm	Handy Lift: A015	Tool Dia: 27-50mm	Handy Lift: A100
Universal: YBA-B007-J001DT		Swiveling: YBA-B007-FSD-		Swiveling: YBA-B007-FSHD-		Swiveling: YBA-B007-FS2B-	
Tool Dia: 27-50mm	Handy Lift: A100	Tool Dia: Upon tool model	Handy Lift: A100/200	Tool Dia: Upon tool model	Handy Lift: A100/200	Tool Dia: 27-50mm	Handy Lift: A100
Swiveling: YBA-B007-2AJ001		Swiveling: YBA-B007-2AJ002		Swiveling: YBA-B007-2AJ003		Swiveling: YBA-B007-3AJ001	
Tool Dia: 25-40mm	Handy Lift: A100	Tool Dia: 25-40mm	Handy Lift: A100	Tool Dia: 25-40mm	Handy Lift: A100	Tool Dia: 25-40mm	Handy Lift: A100
Swiveling: YBA-B007-FSHD-T300-工具型号		Bracket: YBA-B007-J004-Tool model		Bracket: YEBO-D-B007-M50-Tool model		Bracket: YBA-B007-Tool model	
Tool Dia: Upon tool model	Handy Lift: A300	Upon tool model	Handy Lift: A100	Upon tool model	Handy Lift: A100	Upon tool model	Handy Lift: A100



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Lift B007

General Tool Holder

Bracket: YBA-B007-M39-Tool model		Bracket: YBA-B007-M44-Tool model		Adaptor: YBA-B007-LY (100/200)		Air Brake: YBA-B007- (100/200/300/500) -MK	
Upon tool model	Handy Lift: A200	Upon tool model	Handy Lift: A200/A300	Adaptor: Change for B009 tool holder	Handy Lift: A100/A200	Stroke Parking	Handy Lift: A100 /200/300/500

Tool holders for some International brand tools

DESOUTTER 		DESOUTTER 		BoschRexroth 		BoschRexroth工具 	
Swiveling: YBA-B007-FAS-600-EAD20		Bracket with 2 handles: YBA-B007-EID120		Bracket with 2 handles: YBA-B007-BG4-2		Bracket with 1 handle: YBA-B007-J004-BG2	
Tool: EAD20	Handy Lift: A100	Tool: EID120	Handy Lift: A100	Tool: 4GE	Handy Lift: A100	Tool: 2GE	Handy Lift: A100
BoschRexroth 		BoschRexroth 		BoschRexroth 		BoschRexroth 	
Bracket with 1 handle: YBA-B007-J004-BG3		Bracket with 2 handles: YBA-B007-M39-BG4		Bracket with 2 handles: YBA-B007-M44-BG4		Bracket with 2 handles: YBA-B007-M44-BG5	
Tool: 3GE	Handy Lift: A100	Tool: 4GE	Handy Lift: A200	Tool: 4GE	Handy Lift: A200	Tool: 5GE	Handy Lift: A300
BoschRexroth 		ATLAS COPCO 		ATLAS COPCO 		ATLAS COPCO 	
Bracket with 1 handle: YBA-B007-M50-BG4		Bracket with 2 handles: YBA-B007-M44-QST62		Swiveling: YBA-B007-FSHD-T300-ETV ST101		Swiveling: YBA-B007-FSHD-T500-ETV ST101	
Tool: 4GE	适用力臂: A100	Tool: QST62	Handy Lift: A300	Tool: ST101-370	Handy Lift: A300	Tool: ST101-600	Handy Lift: A500



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Lift B007

Special Tool Holders


Multiple Spindle



Multiple Spindle with Distance Adjustment



Hold and Drive



Crowfoot



Notice: Any need, please contact Yebo Sales



High-Tech Enterprise



Professional - Quality - Benefit

B008 Torque Arm - BZ

BZ Series Linear Arm



Basic-Advanced



Basic-Economic

Patent Certificate

Number:

ZL201430313796.7

ZL201520628070.1

ZL201530075203.2

ZL201530310759.5

ZL201630486987.2

ZL201630475999.5



Double Column



TPS Positioning





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Torque Arm - BZ

Model	Description	Max. Torque[Nm]		Max. Load	Ver. Stroke	Hor. Stroke	Height H	Max. Reach L	Output Width W
		Ver.	Hor.	[Kg]	[mm]	[mm]	[mm]	[mm]	[mm]
Basic									
YBA-B008-010	Basic-Adv.	10	5	1.4	400	300	772	440	20
YBA-B008-010J	Basic-Eco.	10	5	1.4	400	300	772	440	20
YBA-B008-010B	Double Column, Adv.	15	8	0.9	400	300	784	360	20
YBA-B008-010BJ	Double Column, Eco.	15	8	0.9	400	300	784	360	20
YBA-B008-040	Basic-Adv.	40	30	2	450	500	1036	595	28
YBA-B008-040J	Basic-Eco.	40	30	2	450	500	1036	595	28
YBA-B008-040B	Double Column, Adv.	50	35	3.6	450	500	1048	705	28
YBA-B008-040BJ	Double Column, Eco.	50	35	3.6	450	500	1048	705	28
YBA-B008-080	Basic-Adv.	80	40	2.3	500	500	1086	745	32
YBA-B008-080J	Basic-Eco.	80	40	8.3	500	500	1087	745	32
YBA-B008-080B	Double Column, Adv.	90	50	2	500	500	1101	595	32
YBA-B008-150	Basic	150	100	13.1	500	500	1186	785	40
YBA-B008-150B	Double Column	180	120	11.5	500	500	1201	670	40
YBA-B008-500	Basic	500	250	21.6	500	500	1336	810	50
YBA-B008-500B	Double Column	600	300	18	500	500	1353	645	50
YBA-B008-1000	Basic	1000	500	30	500	500	1336	810	50
YBA-B008-1000B	Double Column	1000	500	40	500	500	1336	810	50
TPS Positioning, X/Y									
YBA-B008-010P	TPS-Adv	10	5	1.4	400	300	772	440	20
YBA-B008-010PJ	TPS-Eco.	10	5	1.4	400	300	772	440	20
YBA-B008-040P	TPS-Adv	40	30	2	450	500	1095	595	28
YBA-B008-040PJ	TPS-Eco.	40	30	2	450	500	1056	595	28
YBA-B008-080P	TPS-Adv	80	40	2.3	500	500	1145	745	32
YBA-B008-080PJ	TPS-Eco.	80	40	8.3	500	500	1067	745	32
YBA-B008-150P	TPS-Adv	150	100	13.1	500	500	1245	770	40
YBA-B008-500P	TPS-Adv	500	250	21.6	500	500	1295	810	50
YBA-B008-1000P	TPS-Adv	1000	500	30	500	500	1245	770	50
TPS Positioning, X/Y/Z									
YBA-B008-010ZP	TPS-Adv	10	5	1.4	400	300	772	440	20
YBA-B008-010ZPJ	TPS-Eco.	10	5	1.4	400	300	772	440	20
YBA-B008-040ZP	TPS-Adv	40	30	2	450	500	1095	595	28
YBA-B008-040ZPJ	TPS-Eco.	40	30	2	450	500	1056	595	28
YBA-B008-080ZP	TPS-Adv	80	40	2.3	500	500	1145	745	32
YBA-B008-080ZPJ	TPS-Eco.	80	40	8.3	500	500	1067	745	32
YBA-B008-150ZP	TPS-Adv	150	100	13.1	500	500	1245	770	40
YBA-B008-500ZP	TPS-Adv	500	250	21.6	500	500	1295	810	50
YBA-B008-1000ZP	TPS-Adv	1000	500	30	500	500	1295	810	50

Notice:

1. Eco. Type arm equipped with Chinese local brand balancer and bearings. Adv. Type equipped with international brand balancer and bearings
2. Default TPS Positioning Arm equipped with analog type transducer. If digital type transducer, plus a letter "s" after P of the model. For example: YBA-B008-080PS, YBA-B008-080ZPSJ.



High-Tech Enterprise






烨柏®



Professional - Quality - Benefit

B008 Torque Arm - BZ





High-Tech Enterprise



Professional - Quality - Benefit

B008 Torque Arm – TAZ

TAZ Series Linear Arm

Patent Certificate

Number:

ZL201430313796.7

ZL201520628070.1

ZL201530075203.2

ZL201530310759.5

ZL201630486987.2

ZL201630475999.5



Basic-Advanced




Basic-Economic



TPS A



TPS B





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Torque Arm – TAZ

Model	Description	Max Torque[Nm]		Max. Load	Ver. Stroke	Hor. Stroke	Height H	Max. Reach L	Output Width W
		Ver.	Hor.	[Kg]	[mm]	[mm]	[mm]	[mm]	[mm]
Basic									
YBA-B008-TA025Z1	Basic-Ecn	25	20	3.5	600	300	1028	715	20
YBA-B008-TA025Z2	Basic-Adv	25	20	1.5	500	300	1037	715	20
YBA-B008-TA050Z1	Basic-Ecn	50	35	9	500	400	1039	905	28
YBA-B008-TA050Z2	Basic-Adv	50	35	5	500	400	1034	905	28
YBA-B008-TA100Z1	Basic-Ecn	100	60	9	500	400	1041	940	28
YBA-B008-TA100Z2	Basic-Adv	100	60	7	500	400	1041	940	28
TPS, X/Y									
YBA-B008-TA025-P3A	TPS-Eco A	25	20	3	600	300	1056	715	20
YBA-B008-TA025-P3B	TPS-Eco B	25	20	3	600	300	1056	715	20
YBA-B008-TA025-P4A	TPS-Adv A	25	20	1	500	300	1095	655	20
YBA-B008-TA025-P4B	TPS-Adv B	25	20	1	500	300	1095	655	20
YBA-B008-TA050-P3A	TPS-Eco A	50	35	9	500	400	1067	905	28
YBA-B008-TA050-P3B	TPS-Eco B	50	35	9	500	400	1067	905	28
YBA-B008-TA050-P4A	TPS-Adv A	50	35	5	500	400	1095	905	28
YBA-B008-TA050-P4B	TPS-Adv B	50	35	5	500	400	1095	905	28
YBA-B008-TA100-P3A	TPS-Eco A	100	60	9	500	400	1072	940	28
YBA-B008-TA100-P3B	TPS-Eco B	100	60	9	500	400	1072	940	28
YBA-B008-TA100-P4A	TPS-Adv A	100	60	6	500	400	1095	940	28
YBA-B008-TA100-P4B	TPS-Adv B	100	60	6	500	400	1095	940	28
TPS, X/Y/Z									
YBA-B008-TA025-ZP3A	TPS-Eco A	25	20	3	600	300	1056	715	20
YBA-B008-TA025-ZP3B	TPS-Eco B	25	20	3	600	300	1056	715	20
YBA-B008-TA025-ZP4A	TPS-Adv A	25	20	1	500	300	1095	655	20
YBA-B008-TA025-ZP4B	TPS-Adv B	25	20	1	500	300	1095	655	20
YBA-B008-TA050-ZP3A	TPS-Eco A	50	35	9	500	400	1067	905	28
YBA-B008-TA050-ZP3B	TPS-Eco B	50	35	9	500	400	1067	905	28
YBA-B008-TA050-ZP4A	TPS-Adv A	50	35	5	500	400	1095	905	28
YBA-B008-TA050-ZP4B	TPS-Adv B	50	35	5	500	400	1095	905	28
YBA-B008-TA100-ZP3A	TPS-Eco A	100	60	9	500	400	1072	940	28
YBA-B008-TA100-ZP3B	TPS-Eco B	100	60	9	500	400	1072	940	28
YBA-B008-TA100-ZP4A	TPS-Adv A	100	60	6	500	400	1095	940	28
YBA-B008-TA100-ZP4B	TPS-Adv B	100	60	6	500	400	1095	940	28

Notice:

1. Eco type equipped with Chinese local brand balancer and bearings, Adv type equipped with international brand balancer and bearings
2. A type Equipped with local brand Magnetic scale, B type equipped with Balluff Magnetic scale
3. All TPS positioning arms are controlled by YBA-SPC-COM-ST012M






High-Tech Enterprise



Professional - Quality - Benefit

B008 Torque Arm – TAZ





High-Tech Enterprise



Professional - Quality - Benefit

B008 Torque Arm – TAW

TAW Series Articulated Arm



Basic-Eco.



Basic-Adv.



TPS-Eco.



TPS-Adv.



Table Mounting



Top Mounting



Wall Mounting

Patent Certificate
Number:
ZL201430313796.7
ZL201520628070.1
ZL201530075203.2
ZL201530310759.5
ZL201630486987.2
ZL201630475999.5





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Torque Arm - TAW

Model	Description	Installation	Max. Torque [Nm]		Max. Load	Ver. Stroke	Max. Reach R	Height H	Output Width W
			Ver.	Hor.	[Kg]	[mm]	[mm]	[mm]	[mm]
Basic									
YBA-B008-TA025W1	Basic-Ecn	Table Mounting	25	20	4	600	550	1028	20
YBA-B008-TA025W2	Basic-Adv	Table Mounting	25	20	2.5	500	550	1036	20
YBA-B008-TA025WT1	Basic-Ecn	Top Mounting	25	20	4	600	550	900	20
YBA-B008-TA025WT2	Basic-Adv	Top Mounting	25	20	2.5	500	550	900	20
YBA-B008-TA025W1-3D	Basic-Ecn	Wall Mounting	25	20	4	210	770	715	20
YBA-B008-TA025W2-3D	Basic-Adv	Wall Mounting	25	20	2.5	210	770	715	20
YBA-B008-TA050W1	Basic-Ecn	Table Mounting	50	35	9	500	830	1039	28
YBA-B008-TA050W2	Basic-Adv	Table Mounting	50	35	5.5	500	830	1034	28
YBA-B008-TA050WT1	Basic-Ecn	Top Mounting	50	35	9	500	830	900	28
YBA-B008-TA050WT2	Basic-Adv	Top Mounting	50	35	5.5	500	830	900	28
YBA-B008-TA100W1	Basic-Ecn	Table Mounting	100	60	8	500	850	1041	28
YBA-B008-TA100W2	Basic-Adv	Table Mounting	100	60	6.5	500	850	1046	28
YBA-B008-TA100WT1	Basic-Ecn	Top Mounting	100	60	8	500	850	900	28
YBA-B008-TA100WT2	Basic-Adv	Top Mounting	100	60	6.5	500	850	900	28
YBA-B008-TA200W1	Basic-Ecn	Table Mounting	200	120	19	500	1030	1186	40
YBA-B008-TA200WT1	Basic-Adv	Top Mounting	200	120	19	500	1030	900	40
TPS Positioning Arm, X/Y									
YBA-B008-TA025W-P1	TPS-Ecn	Table Mounting	25	20	4	600	550	1056	20
YBA-B008-TA025W-P2	TPS-Adv	Table Mounting	25	20	2.5	600	550	1095	20
YBA-B008-TA025WT-P1	TPS-Ecn	Top Mounting	25	20	4	600	550	900	20
YBA-B008-TA025WT-P2	TPS-Adv	Top Mounting	25	20	2.5	600	550	900	20
YBA-B008-TA025W1-P3D	TPS-Ecn	Wall Mounting	25	20	4	210	770	715	20
YBA-B008-TA025W2-P3D	TPS-Adv	Wall Mounting	25	20	2.5	210	770	715	20
YBA-B008-TA050W-P1	TPS-Ecn	Table Mounting	50	35	9	500	830	1067	28
YBA-B008-TA050W-P2	TPS-Adv	Table Mounting	50	35	5.5	500	830	1095	28
YBA-B008-TA050WT-P1	TPS-Ecn	Top Mounting	50	35	9	500	830	900	28
YBA-B008-TA050WT-P2	TPS-Adv	Top Mounting	50	35	5.5	500	830	900	28
YBA-B008-TA100W-P1	TPS-Ecn	Table Mounting	100	60	8	500	850	1072	28
YBA-B008-TA100W-P2	TPS-Adv	Table Mounting	100	60	6.5	500	850	1095	28
YBA-B008-TA100WT-P1	TPS-Ecn	Top Mounting	100	60	8	500	850	900	28
YBA-B008-TA100WT-P2	TPS-Adv	Top Mounting	100	60	6.5	500	850	900	28
YBA-B008-TA200W-P1	TPS-Ecn	Table Mounting	200	120	19	500	1030	1245	40
YBA-B008-TA200WT-P1	TPS-Adv	Top Mounting	200	120	19	500	1030	900	40



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Torque Arm - TAW

			Max. Torque [Nm]		Max. Load	Ver. Stroke	Max. Reach R	Height H	Output Width W
Model	Description	Installation	Ver.	Hor.	[Kg]	[mm]	[mm]	[mm]	[mm]
TPS Positioning Arm, X/Y/Z									
YBA-B008-TA025W-ZP1	TPS-Ecn	Table Mounting	25	20	4	600	550	1056	20
YBA-B008-TA025W-ZP2	TPS-Adv	Table Mounting	25	20	2.5	600	550	1095	20
YBA-B008-TA025WT-ZP1	TPS-Ecn	Top Mounting	25	20	4	600	550	900	20
YBA-B008-TA025WT-ZP2	TPS-Adv	Top Mounting	25	20	2.5	600	550	900	20
YBA-B008-TA025W1-ZP3D	TPS-Ecn	Wall Mounting	25	20	4	210	770	715	20
YBA-B008-TA025W2-ZP3D	TPS-Adv	Wall Mounting	25	20	2.5	210	770	715	20
YBA-B008-TA050W-ZP1	TPS-Ecn	Table Mounting	50	35	9	500	830	1067	28
YBA-B008-TA050W-ZP2	TPS-Adv	Table Mounting	50	35	5.5	500	830	1095	28
YBA-B008-TA050WT-ZP1	TPS-Ecn	Top Mounting	50	35	9	500	830	900	28
YBA-B008-TA050WT-ZP2	TPS-Adv	Top Mounting	50	35	5.5	500	830	900	28
YBA-B008-TA100W-ZP1	TPS-Ecn	Table Mounting	100	60	8	500	850	1072	28
YBA-B008-TA100W-ZP2	TPS-Adv	Table Mounting	100	60	6.5	500	850	1095	28
YBA-B008-TA100WT-ZP1	TPS-Ecn	Top Mounting	100	60	8	500	850	900	28
YBA-B008-TA100WT-ZP2	TPS-Adv	Top Mounting	100	60	6.5	500	850	900	28
YBA-B008-TA200W-ZP1	TPS-Ecn	Table Mounting	200	120	19	500	1030	1245	40
YBA-B008-TA200WT-ZP1	TPS-Adv	Top Mounting	200	120	19	500	1030	900	40

Notice:

1. Economic type equipped with Chinese local brand balancer and bearing. Advanced type equipped with international brand balancer and bearing
2. The standard model torque arms are left articulated. Please tell Yebo sales if you need right articulated
3. The encoders equipped on the TPS positioning arm can be analog or digital output. If analog, controlled by YBA-SPC-COM-ST012M. If digital, controlled by YBA-SPC-COM-ST012S.



Left Articulated
For left hand operate



Right Articulated
For right hand operate






High-Tech Enterprise



Professional - Quality - Benefit

B008 Torque Arm - TAW

Table Mounting





YBA®



High-Tech Enterprise



Professional - Quality - Benefit

B008 Torque Arm- C

C Series Carbon Articulated Arm

The arm is made from Carbon, so it is very light and easily control. Special for the customers come from electronic field.



Basic



TPS Position

Patent Certificate

Number:

ZL201430313796.7

ZL201520628070.1

ZL201530075203.2

ZL201530310759.5

ZL201630486987.2

ZL201630475999.5





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Torque Arm- C

Model	Description	Max. Torque [Nm]		Max. Load [Kg]	Ver. Stroke D [mm]	Max. Reach R [mm]	Height H [mm]	Output Width W [mm]
		Ver.	Hor.					
Basic								
YBA-B008-010C	Basic-Adv	10		2	400	480	772	17 x17
YBA-B008-010CJ	Basic-Ecn	10		2	400	480	772	17 x17
YBA-B008-040C	Basic-Adv	40		2.5	500	590	1036	20 x 20
YBA-B008-040CJ	Basic-Ecn	40		2.5	500	590	1036	20 x 20
YBA-B008-080C	Basic-Adv	80		4	500	680	1086	28 x 28
YBA-B008-080CJ	Basic-Ecn	80		4	500	680	1086	28 x 28
YBA-B008-150C	Basic-Adv	150		7	500	800	1186	30 x 30
YBA-B008-150CJ	Basic-Ecn	150		7	500	800	1186	30 x 30
YBA-B008-150C-R1300	Basic-Adv	150		6	500	1300	1186	30 x 30
YBA-B008-150CJ-R1300	Basic-Ecn	150		6	500	1300	1245	30 x 30
TPS Positioning Arm, X/Y								
YBA-B008-010PC	Basic-Adv	10		2	400	480	772	17 x17
YBA-B008-010PCJ	Basic-Ecn	10		2	400	480	772	17 x17
YBA-B008-040PC	Basic-Adv	40		2.5	500	590	1075	20 x 20
YBA-B008-040PCJ	Basic-Ecn	40		2.5	500	590	1075	20 x 20
YBA-B008-080PC	Basic-Adv	80		4	500	680	1145	28 x 28
YBA-B008-080PCJ	Basic-Ecn	80		4	500	680	1145	28 x 28
YBA-B008-150PC	Basic-Adv	150		7	500	800	1186	30 x 30
YBA-B008-150PCJ	Basic-Ecn	150		7	500	800	1186	30 x 30
YBA-B008-150PC-R1300	Basic-Adv	150		6	500	1300	1186	30 x 30
YBA-B008-150PCJ-R1300	Basic-Ecn	150		6	500	1300	1245	30 x 30
TPS Positioning Arm, X/Y/Z								
YBA-B008-010ZPC	Basic-Adv	10		2	400	480	772	17 x17
YBA-B008-010ZPCJ	Basic-Ecn	10		2	400	480	772	17 x17
YBA-B008-040ZPC	Basic-Adv	40		2.5	500	590	1075	20 x 20
YBA-B008-040ZPCJ	Basic-Ecn	40		2.5	500	590	1075	20 x 20
YBA-B008-080ZPC	Basic-Adv	80		4	500	680	1145	28 x 28
YBA-B008-080ZPCJ	Basic-Ecn	80		4	500	680	1145	28 x 28
YBA-B008-150ZPC	Basic-Adv	150		7	500	800	1186	30 x 30
YBA-B008-150ZPCJ	Basic-Ecn	150		7	500	800	1186	30 x 30
YBA-B008-150ZPC-R1300	Basic-Adv	150		6	500	1300	1186	30 x 30
YBA-B008-150ZPCJ-R1300	Basic-Ecn	150		6	500	1300	1245	30 x 30

Notice:

1. Economic type equipped with Chinese local brand balancer and bearing. Advanced type equipped with international brand balancer and bearing
2. The standard model torque arms are left articulated. Please tell Yebo sales if you need right articulated
3. The encoders equipped on the TPS positioning arm can be analog or digital output. If analog, controlled by YBA-SPC-COM-ST012M. If digital, controlled by YBA-SPC-COM-ST012S.



Left Articulated
For left hand operate



Right Articulated
For right hand operate



High-Tech Enterprise





烨柏®



Professional - Quality - Benefit

B008 Torque Arm- C





High-Tech Enterprise





Professional - Quality - Benefit

B008 Torque Arm- 100Y

100Y Series Articulated Arm

The arm is made from Carbon, so it is very light and easily control. Equipped with air cylinder for balance adjustable.





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Torque Arm- 100Y

Model	Description	Max. Torque[Nm]		Max. Load [Kg]	Length Arm A	Length Arm B	Max. Reach R	Ver. Stroke H	Dia. Hold (General)
		Ver.	Hor.		[mm]	[mm]	[mm]	[mm]	[mm]
Basic									
YBA-B008-100Y-L200-300	Left Articulated	100		10	200	300	700	180	30 - 55
YBA-B008-100Y-R200-300	Right Articulated	100		10	200	300	700	180	30 - 55
YBA-B008-100Y-L300-300	Left Articulated	100		10	300	300	800	180	30 - 55
YBA-B008-100Y-R300-300	Right Articulated	100		10	300	300	800	180	30 - 55
YBA-B008-100Y-L300-400	Left Articulated	100		10	300	400	900	300	30 - 55
YBA-B008-100Y-R300-400	Right Articulated	100		10	300	400	900	300	30 - 55
YBA-B008-100Y-L400-300	Left Articulated	100		10	400	300	1000	300	30 - 55
YBA-B008-100Y-R400-300	Right Articulated	100		10	400	300	1000	300	30 - 55
YBA-B008-100Y-L400-400	Left Articulated	100		10	400	400	1000	300	30 - 55
YBA-B008-100Y-R400-400	Right Articulated	100		10	400	400	1000	300	30 - 55
YBA-B008-100Y-L400-500	Left Articulated	100		10	400	500	1100	400	30 - 55
YBA-B008-100Y-R400-500	Right Articulated	100		10	400	500	1100	400	30 - 55
YBA-B008-100Y-L500-400	Left Articulated	100		10	500	400	1100	300	30 - 55
YBA-B008-100Y-R500-400	Right Articulated	100		10	500	400	1100	300	30 - 55
YBA-B008-100Y-L500-500	Left Articulated	100		10	500	500	1200	400	30 - 55
YBA-B008-100Y-R500-500	Right Articulated	100		10	500	500	1200	400	30 - 55
TPS Positioning Arm, X/Y									
YBA-B008-100Y-PL200-300	Left Articulated	100		10	200	300	700	180	30 - 55
YBA-B008-100Y-PR200-300	Right Articulated	100		10	200	300	700	180	30 - 55
YBA-B008-100Y-PL300-300	Left Articulated	100		10	300	300	800	180	30 - 55
YBA-B008-100Y-PR300-300	Right Articulated	100		10	300	300	800	180	30 - 55
YBA-B008-100Y-PL300-400	Left Articulated	100		10	300	400	900	300	30 - 55
YBA-B008-100Y-PR300-400	Right Articulated	100		10	300	400	900	300	30 - 55
YBA-B008-100Y-PL400-300	Left Articulated	100		10	400	300	1000	300	30 - 55
YBA-B008-100Y-PR400-300	Right Articulated	100		10	400	300	1000	300	30 - 55
YBA-B008-100Y-PL400-400	Left Articulated	100		10	400	400	1000	300	30 - 55
YBA-B008-100Y-PR400-400	Right Articulated	100		10	400	400	1000	300	30 - 55
YBA-B008-100Y-PL400-500	Left Articulated	100		10	400	500	1100	400	30 - 55
YBA-B008-100Y-PR400-500	Right Articulated	100		10	400	500	1100	400	30 - 55
YBA-B008-100Y-PL500-400	Left Articulated	100		10	500	400	1100	300	30 - 55
YBA-B008-100Y-PR500-400	Right Articulated	100		10	500	400	1100	300	30 - 55
YBA-B008-100Y-PL500-500	Left Articulated	100		10	500	500	1200	400	30 - 55
YBA-B008-100Y-PR500-500	Right Articulated	100		10	500	500	1200	400	30 - 55

Model Key:

YBA - B008 -100Y - P R 300 - 400 - T20

Transducer	Articulated	Arm A L.	Arm B L.	Tool Holder
Blank -> No	R -> Right	150 -> 150mm	300 -> 300mm	Blank -> General
P -> X/Y	L -> Left	200 -> 200mm	400 -> 400mm	T20 -> Output 20mm
ZP -> X/Y/Z		250 -> 250mm	500 -> 400mm	T28 -> Output 28mm
		300 -> 300mm		L400 -> Z Length 400mm
		400 -> 400mm		L800 -> Z Length 800mm
		500 -> 400mm		



Left Articulated
For left hand operate

Right Articulated
For right hand operate



High-Tech Enterprise





烨柏®



Professional - Quality - Benefit

B008 Torque Arm- 100Y





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Torque Arm- LA

LA Series Large Reach Articulated Arm

The arm is made from Carbon, so it is very light and easily control. The max. reach can up to be 2000mm



Wall Mounting



Top Mounting



Column Mounting





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Torque Arm- LA

Model	Description	Ver. Max. Torque [Nm]	Max. Load [Kg]	Max. Reach R [mm]	Length Z [mm]	Vertical Stroke H [mm]	Bending	Mounting	Output Width [mm]
Basic									
YBA-B008-LA-L1000L-H400-Z600	Low Load	100	10	1000	600	400	Left	Column Mounting	28
YBA-B008-LA-R1000L-H400-Z600	Low Load	100	10	1000	600	400	Right	Column Mounting	28
YBA-B008-LA-L1500L-H400-Z600	Low Load	100	10	1500	600	400	Left	Column Mounting	28
YBA-B008-LA-R1500L-H400-Z600	Low Load	100	10	1500	600	400	Right	Column Mounting	28
YBA-B008-LAH-L2000L-H400-Z600	High Load	100	10	2000	600	400	Left	Column Mounting	28
YBA-B008-LAH-R2000L-H400-Z600	High Load	100	10	2000	600	400	Right	Column Mounting	28
YBA-B008-LA-L1000T-H400-Z600	Low Load	100	10	1000	600	400	Left	Top Mounting	28
YBA-B008-LA-R1000T-H400-Z600	Low Load	100	10	1000	600	400	Right	Top Mounting	28
YBA-B008-LA-L1500T-H400-Z600	Low Load	100	10	1500	600	400	Left	Top Mounting	28
YBA-B008-LA-R1500T-H400-Z600	Low Load	100	10	1500	600	400	Right	Top Mounting	28
YBA-B008-LAH-L2000T-H400-Z600	High Load	100	10	2000	600	400	Left	Top Mounting	28
YBA-B008-LAH-R2000T-H400-Z600	High Load	100	10	2000	600	400	Right	Top Mounting	28
YBA-B008-LA-L1000C-H400-Z600	Low Load	100	10	1000	600	400	Left	Wall Mounting	28
YBA-B008-LA-R1000C-H400-Z600	Low Load	100	10	1000	600	400	Right	Wall Mounting	28
YBA-B008-LA-L1500C-H400-Z600	Low Load	100	10	1500	600	400	Left	Wall Mounting	28
YBA-B008-LA-R1500C-H400-Z600	Low Load	100	10	1500	600	400	Right	Wall Mounting	28
YBA-B008-LAH-L2000C-H400-Z600	High Load	100	10	2000	600	400	Left	Wall Mounting	28
YBA-B008-LAH-R2000C-H400-Z600	High Load	100	10	2000	600	400	Right	Wall Mounting	28
TPS Positioning Arm, X/Y									
YBA-B008-LAP-L1000L-H400-Z600	Low Load	100	10	1000	600	400	左	Column Mounting	28
YBA-B008-LAP-R1000L-H400-Z600	Low Load	100	10	1000	600	400	右	Column Mounting	28
YBA-B008-LAP-L1500L-H400-Z600	Low Load	100	10	1500	600	400	左	Column Mounting	28
YBA-B008-LAP-R1500L-H400-Z600	Low Load	100	10	1500	600	400	右	Column Mounting	28
YBA-B008-LAHP-L2000L-H400-Z600	High Load	100	10	2000	600	400	左	Column Mounting	28
YBA-B008-LAHP-R2000L-H400-Z600	High Load	100	10	2000	600	400	右	Column Mounting	28
YBA-B008-LAP-L1000T-H400-Z600	Low Load	100	10	1000	600	400	左	Top Mounting	28
YBA-B008-LAP-R1000T-H400-Z600	Low Load	100	10	1000	600	400	右	Top Mounting	28
YBA-B008-LAP-L1500T-H400-Z600	Low Load	100	10	1500	600	400	左	Top Mounting	28
YBA-B008-LAP-R1500T-H400-Z600	Low Load	100	10	1500	600	400	右	Top Mounting	28
YBA-B008-LAHP-L2000T-H400-Z600	High Load	100	10	2000	600	400	左	Top Mounting	28
YBA-B008-LAHP-R2000T-H400-Z600	High Load	100	10	2000	600	400	右	Top Mounting	28
YBA-B008-LAP-L1000C-H400-Z600	Low Load	100	10	1000	600	400	左	Wall Mounting	28
YBA-B008-LAP-R1000C-H400-Z600	Low Load	100	10	1000	600	400	右	Wall Mounting	28
YBA-B008-LAP-L1500C-H400-Z600	Low Load	100	10	1500	600	400	左	Wall Mounting	28
YBA-B008-LAP-R1500C-H400-Z600	Low Load	100	10	1500	600	400	右	Wall Mounting	28
YBA-B008-LAHP-L2000C-H400-Z600	High Load	100	10	2000	600	400	左	Wall Mounting	28
YBA-B008-LAHP-R2000C-H400-Z600	High Load	100	10	2000	600	400	右	Wall Mounting	28

Model Key:

YBA - B008 - LA H P - R 1500 L2000 - Z600 H400

Arm	Transducer	Arti.	Max. Reach	Install	Z Length	Z stroke
Blank ->	Blank -> No	R -> Right	1000 -> 1000mm	C -> Side	400 -> 400mm	300 -> 300mm
light load	P -> X/Y	L -> Left	1250 -> 1250mm	L -> Col.	600 -> 600mm	400 -> 400mm
H -> High	HP -> X/Y/Z		1500 -> 1500mm		800 -> 800mm	500 -> 500mm
load			1750 -> 1750mm			
			2000 -> 2000mm			
				2250mm		
				2500mm		
				T -> Top		



Left Articulated
For left hand operate

Right Articulated
For right hand operate




High-Tech Enterprise



Professional - Quality - Benefit

B008 Torque Arm- LA



Balancer

Telescopic Spindle

Tool Holder

Mounting Bracket

Tool Holder
installation

工件

桌面



High-Tech Enterprise



Professional - Quality - Benefit

B008 Torque Arm

Application

	Screws on top	Screws on side		
	Screws on top		Screws on side	
	Screws on side	Notice: must equipped with swiveling tool holder when tighten the screws on the side		



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Tool Holder

General

Universal: YBA-B008-J001		Universal: YBA-B008-J001D		Universal: YBA-B008-J001T		Universal: YBA-B008-J001DT	
Tool Dia: 25-40mm	Arm Output: 20mm	Tool Dia: 27-50mm	Arm Output: 20mm	Tool Dia: 25-40mm	Arm Output: 20mm	Tool Dia: 27-50mm	Arm Output: 20mm
Universal: YBA-B008-J002		Quick Change: YBA-B008-JK001		Swiveling: YBYBA-B008-FAA-		Swiveling & Universal: YBA-B008-M129	
Tool Dia: 30-55mm	Arm Output: 28mm	Tool Dia: 27-50mm	Arm Output: 20mm	Tool Dia: Upon tool model	Arm Output: 20mm/28mm	Tool Dia: 25-40mm	Arm Output: 20mm
Swiveling: YBA-B008-FSD-		Swiveling: YBA-B008-FS2-		Swiveling & Universal: YBA-B008-M129 : YBA-B008-J006-150_620		Swiveling & Universal: YBA-B008-M129 : YBA-B008-M90-L087	
Tool Dia: Upon tool model	Arm Output: 28mm	Tool Dia: Upon tool model	Arm Output: 28mm	Tool Dia: Upon tool model	Arm Output: 40mm	Tool Dia: 25-40mm	Arm Output: 20mm
Swiveling & Universal: YBA-B008-M129 : YBA-B008-FS2B-J003		Swiveling & Universal: YBA-B008-M129 Swiveling: YBA-B008-2AJ001		Universal: YBA-B008-J004-W050		Swiveling & Universal: YBA-B008-M129 : YBA-B008-J006-150	
Tool Dia: 30-55mm	Arm Output: 28mm	Tool Dia: 30-55mm	Arm Output: 28mm	Tool Dia: 30-55mm	Arm Output: 28mm	Tool Dia: 30-55mm	Arm Output: 40mm



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Tool Holder

General

Swiveling & Universal: YBA-B008-M129 : YBA-B008-FS2B-150		Swiveling & Universal: YBA-B008-M129 : YEBO-D-B008-M90-L180		Single Handle: YBA-B008-J004-Tool Model		Double Handle: YBA-B008-J006-350	
Tool Dia: 30-55mm	Arm Output: 40mm	Tool Dia: 25-40mm	Arm Output: 20mm	Tool Dia: Upon tool model	Arm Output: 20mm	Tool Dia: Upon tool model	Arm Output: 50mm
Double Handle: YBA-B008-Tool Model		Double Handle: YBA-B008-J006-080-Tool Model		Double Handle: YBA-B008-F2A-Tool Model		Double Handle: YBA-B008-2S-Tool Model	
Tool Dia: Upon tool model	Arm Output: 50mm	Tool Dia: Upon tool model	Arm Output: 32mm	Tool Dia: Upon tool model	Arm Output: 50mm	夹Tool Dia: Upon tool model	Arm Output: 32mm
Universal: YBA-B008-LA-C001		Universal: YBA-B008-J002-LA		Swiveling & Universal: YBA-B008-M129 : YBA-B009-LA-C302-L087			
Tool Dia: 23-45mm	Arm: LA	Tool Dia: 30-55mm	Arm: LA	Tool Dia: 25-40mm	Arm: LA		

Stand

Stand: YBA-B008-LZ01-Lxxx (xxx is Height)		Stand: YBA-B008-LZ02-Lxxx (xxx is Height)		立柱: YBA-B008-LZ03-Lxxx (xxx is Height)			
Arm: below 150Nm		Arm: 150 to 500Nm		Arm: 1000Nm			



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

B008 Tool Holder

Tool Holder special for International Brand Tools

ATLAS COPCO		ATLAS COPCO		ATLAS COPCO		ATLAS COPCO	
Single Handle: YBA-B008-J004-QST34		Double Handle: YBA-B008-QST62		Double Handle: YBA-B008-QST80		Double Handle: YBA-B008-T2-150B	
Tool: QST34	Arm Output: 28mm	Tool: QST62	Arm Output: 50mm	Tool: QST80	Arm Output: 50mm	Tool: ETD ST101-150	Arm Output 40mm
BoschRexroth		BoschRexroth		BoschRexroth		BoschRexroth	
Single Handle: YBA-B008-J004B-BG2		Double Handle: YBA-B008-BG4-VU2		Double Handle: YBA-B008-BG4		Double Handle: YBA-B008-BG4-4W220-2	
Tool: G2	Arm Output: 28mm	Tool: VUK2D186 VUL2D290	Arm Output: 50mm	Tool: G4	Arm Output: 50mm	Tool: 4W220	Arm Output: 40mm
DDK		DDK		DDK		DDK	
Single Handle: YBA-B008-J004L-DDK-CFT401-025B		Single Handle: YBA-B008-J004-DDK-NFT201		Double Handle: YBA-B008-DDK80-150		Double Handle: YBA-B008-CFT-132	
Tool: CFT401	Arm Output: 20mm	Tool: NFT201	Arm Output: 20mm	Tool: 801RM3-S	Arm Output: 40mm	Tool: CFT-132	Arm Output: 40mm
DESOUTTER		DESOUTTER		DESOUTTER		DESOUTTER	
Double Handle: YBA-B008-J006-450-EAD280		Double Handle: YBA-B008-J006-080_EFDS51-70		Double Handle: YBA-B008-FA-EFDS80		Double Handle: YBA-B008-F2A-EFDS80	
Tool: EAD280	Arm Output: 50mm	Tool: EFDS51	Arm Output: 32mm	Tool: EFDS80	Arm Output: 50mm	Tool: EFDS80	Arm Output: 50mm

Notice: More tool holders need, please contact Yebo sales



High-Tech Enterprise





烨柏®



Professional - Quality - Benefit

B008 Tool Holder

Tool Holder special for International Brand Tools

ESTIC工具		ESTIC工具		ESTIC工具		ESTIC工具	
							
Single Handle: YBA-B008-J004-EH2-R2035-S2		Single Handle: YBA-B008-J004-EH2-R2055-S		Single Handle: YBA-B008-J004-ENRZ-TU003R-S		Double Handle: YBA-B008-ENRZ-TU020(R)S-150	
Tool: EH2-R2035-S2	Arm Output: 28mm	Tool: EH2-R2055-S	Arm Output: 28mm	Tool: ENRZ-TU003R	Arm Output: 28mm	Tool: ENRZ-TU020	Arm Output: 40mm
IR工具		IR工具		IR工具			
							
Double Handle: YBA-B008-QM7		Double Handle: YBA-B008-QE8		Double Handle: YBA-B008-QM9			
Tool: QM7	Arm Output: 40mm	Tool: QE8	Arm Output: 28mm	Tool: QM9	Arm Output: 50mm		

Notice: More tool holders need, please contact Yebo sales



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Carbo Arm B009



Patent Certificate Number:

ZL201420492274.2

ZL201430313567.5

ZL201630658602.6

ZL201720053415.4





High-Tech Enterprise



烨柏®




Professional - Quality - Benefit

Carbo Arm B009



**Patent Certificate
Number:**
ZL201420492274.2
ZL201430313567.5
ZL201630658602.6
ZL201720053415.4



Model	Description	Mar. Torque (Nm)	Length Min [mm]	Length Max. [mm]	Stroke [mm]	Groove Width W [mm]
YBA-B009-CA020A	Standard	20	460	1000	540	14
YBA-B009-CA020B	Standard	20	627	1500	873	14
YBA-B009-CA020C	Standard	15	794	2000	1206	14
YBA-B009-CA055A	Standard	55	559	1250	691	20
YBA-B009-CA055B	Standard	55	743	1800	1057	20
YBA-B009-CA055C	Standard	35	943	2400	1457	20
YBA-B009-CA100A	Standard	100	572	1250	678	30
YBA-B009-CA100B	Standard	80	756	1800	1044	30
YBA-B009-CA100C	Standard	60	956	2400	1444	30
YBA-B009-CA220A	Standard	220	578	1250	672	30
YBA-B009-CA220B	Standard	180	762	1800	1038	30
YBA-B009-CA220C	Standard	160	962	2400	1438	30
YBA-B009-CA400A	Standard	400	701	1250	549	40
YBA-B009-CA400B	Standard	350	885	1800	915	40
YBA-B009-CA400C	Standard	300	1085	2400	1315	40



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

TPS Positioning Carbo Arm B009



Patent Certificate

Number:

ZL201420492274.2

ZL201430313567.5

ZL201630658602.6

ZL201720053415.4





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

TPS Positioning Carbo Arm B009

Model	Description	Encoder	Max. Torque (Nm)	Length Min [mm]	Length Max [mm]	Stroke [mm]	Groove Width W [mm]
TPS positioning arm (2 encoders)							
YBA-B009-CA020AP	TPS Positioning	Analog	20	587	1127	540	14
YBA-B009-CA020BP	TPS Positioning	Analog	20	809	1682	873	14
YBA-B009-CA055AP	TPS Positioning	Analog	55	688	1379	691	20
YBA-B009-CA055BP	TPS Positioning	Analog	55	872	1929	1057	20
YBA-B009-CA100AP	TPS Positioning	Analog	100	732	1410	678	30
YBA-B009-CA100BP	TPS Positioning	Analog	80	920	1960	1044	30
YBA-B009-CA100CP	TPS Positioning	Analog	60	1116	2560	1444	30
YBA-B009-CA220AP	TPS Positioning	Analog	220	738	1410	672	30
YBA-B009-CA220BP	TPS Positioning	Analog	180	922	1960	1038	30
YBA-B009-CA220CP	TPS Positioning	Analog	160	1122	2560	1438	30
YBA-B009-CA400AP	TPS Positioning	Analog	400	840	1389	549	40
YBA-B009-CA400BP	TPS Positioning	Analog	350	1024	1939	915	40
YBA-B009-CA400CP	TPS Positioning	Analog	300	1224	2539	1315	40
TPS positioning arm (2 encoders)							
YBA-B009-CA020APSA1	TPS Positioning	Digital	20	587	1127	540	14
YBA-B009-CA020BPSA1	TPS Positioning	Digital	20	809	1682	873	14
YBA-B009-CA055APSA1	TPS Positioning	Digital	55	688	1379	691	20
YBA-B009-CA055BPSA1	TPS Positioning	Digital	55	872	1929	1057	20
YBA-B009-CA100APSA1	TPS Positioning	Digital	100	732	1410	678	30
YBA-B009-CA100BPSA1	TPS Positioning	Digital	80	920	1960	1044	30
YBA-B009-CA100CPSA1	TPS Positioning	Digital	60	1116	2560	1444	30
YBA-B009-CA220APSA1	TPS Positioning	Digital	220	738	1410	672	30
YBA-B009-CA220BPSA1	TPS Positioning	Digital	180	922	1960	1038	30
YBA-B009-CA220CPSA1	TPS Positioning	Digital	160	1122	2560	1438	30
YBA-B009-CA400APSA1	TPS Positioning	Digital	400	840	1389	549	40
YBA-B009-CA400BPSA1	TPS Positioning	Digital	350	1024	1939	915	40
YBA-B009-CA400CPSA1	TPS Positioning	Digital	300	1224	2539	1315	40
TPS positioning arm (3 encoders)							
YBA-B009-CA020APSA2	TPS Positioning	Digital	20	587	1127	540	14
YBA-B009-CA020BPSA2	TPS Positioning	Digital	20	809	1682	873	14
YBA-B009-CA055APSA2	TPS Positioning	Digital	55	688	1379	691	20
YBA-B009-CA055BPSA2	TPS Positioning	Digital	55	872	1929	1057	20
YBA-B009-CA100APSA2	TPS Positioning	Digital	100	732	1410	678	30
YBA-B009-CA100BPSA2	TPS Positioning	Digital	80	920	1960	1044	30
YBA-B009-CA100CPSA2	TPS Positioning	Digital	60	1116	2560	1444	30
YBA-B009-CA220APSA2	TPS Positioning	Digital	220	738	1410	672	30
YBA-B009-CA220BPSA2	TPS Positioning	Digital	180	922	1960	1038	30
YBA-B009-CA220CPSA2	TPS Positioning	Digital	160	1122	2560	1438	30
YBA-B009-CA400APSA2	TPS Positioning	Digital	400	840	1389	549	40
YBA-B009-CA400BPSA2	TPS Positioning	Digital	350	1024	1939	915	40
YBA-B009-CA400CPSA2	TPS Positioning	Digital	300	1224	2539	1315	40



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

TPS Positioning Carbo Arm B009



Crane rail

X Joint

Balancer


Tool Holder

Mounting Bracket

Y Joint

Encoder Kit
Angle and
Distance

Carbo Arm





High-Tech Enterprise




烨柏®




Professional - Quality - Benefit

TPS Positioning Carbo Arm B009

Parts list for the arm installation (Example with YBA-B009-CA100BP)



Working for the side Screws/Bolts



Working for the top Screws/Bolts

Item	Model	Description	Quantity	Comment
1	YBA-B031-420	Safety system	2	
2	YBA-B031-110C	Rigid Mounting	2	
3	YBA-B031-301	Profile End Cover	2	
4	YBA-B031-407	End stop fix	2	
5	YBA-B031-A065-xxxx	Aluminium crane profile	1	Length by requirement
6A	YBA-B009-GD100-A065	Mounting bracket for A065	1	
6B	YBA-B009-GD100-9090	Mounting bracket for 90 Alu. profile	1	
7	YBA-B031-219	Aluminium Trolley	1	
8	BMDS-4	Balancer	1	
9	YBA-B009-CA100BP	Carbo Arm	1	
10	YBA-B009-100-C302-L107	Tool Holder	1	
11	YBA-SPC-COM-ST01	TPS controller	1	



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

B009 Carbo Arm


Application



Bolts on top




Bolts on side




Bolts on top



Bolts on side



Bolts on side



Notice: the angle between the axe of the carbo arm and axe of bolt must more than 45°



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Carbo Arm B009

Tool Holder

Universal: YBA-B009-020-C001		Universal: YBA-B009-020-C002		Universal: YBA-B009-055-C001		Universal: YBA-B009-055-C004	
Tool Dia: 23-45mm	Carbo Arm: CA020	Tool Dia: 23-45mm	Carbo Arm: CA020	Tool Dia: 27-50mm	Carbo Arm: CA055	Tool Dia: 27-50mm	Carbo Arm: CA055
Universal: YBA-B009-055-C003-Tool model		Universal: YBA-B009-055-C001L		Universal: YBA-B009-100-C001		Universal: YBA-B009-220-C001	
Tool Dia: By tool model	Carbo Arm: CA055	Tool Dia: 30-55mm	Carbo Arm: CA055	Tool Dia: 30-60mm	Carbo Arm: CA100	Tool Dia: 32-60mm	Carbo Arm: CA220
Universal: YBA-B009-220-C002		Universal: YBA-B009-400-C002-		Swiveling: YBA-B009-FA-		Swiveling: YBA-B009-FAA-	
Tool Dia: 32-60mm	Carbo Arm: CA220	Tool Dia: By tool model	Carbo Arm: CA440	Tool Dia: By tool model	Carbo Arm: CA100	Tool Dia: By tool model	Carbo Arm: CA100
Swiveling: YBA-B009-FAT-							
Tool Dia: By tool model	Carbo Arm: CA100						



High-Tech Enterprise



烨柏®










Professional - Quality - Benefit

Carbo Arm B009

Tool Holder special for TPS

							
Universal: YBA-B009-055-C302- L107		Universal: YBA-B009-055-C302- L087		Universal: YBA-B009-055-C302- L065			
Tool Dia: 25-40mm	Carbo Arm: CA055	Tool Dia: 25-40mm	Carbo Arm: CA055	Tool Dia: 25-40mm	Carbo Arm: CA055		

Mounting Bracket

							
YBA-B009-GD055-8080 (9090)		YBA-B009-GD055-A065		YBA-B009-GD055S-A065		YBA-B009-GD100-8080	
80 (90) Aluminum Profile	Carbo Arm: CA055	A065 Aluminum Crane	Carbo Arm: CA055	A065 Aluminum Crane	Carbo Arm: CA055	80 Aluminum Profile	Carbo Arm: CA100
							
YBA-B009-GD100-9090		YBA-B009-GD100-A065		YBA-B009-GD220-8080 (9090)		YBA-B009-GD220-A065	
90 Aluminum Profile	Carbo Arm: CA100	A065 Aluminum Crane	Carbo Arm: CA100	80 (90) Aluminum Profile	Carbo Arm: CA220	A065 Aluminum Crane	Carbo Arm: CA220



High-Tech Enterprise







烨柏®



Professional - Quality - Benefit

Tool Holder for B009

Tool Holder special for International Brand Tools

DDK 	DDK 	DESOUTTER 	DESOUTTER 
YBA-B009-HFT-300M120- A-20	YBA-B009-HFT-200M120- A-20	YBA-B009-055-C003-EFDE43	YBA-B009-EID65-900
Tool: HFT-300M120 Carbo Arm: CA400	Tool: HFT-200M120 Carbo Arm: CA400	Tool: EFDE43 Carbo Arm: CA055	Tool: EID65-900 Carbo Arm: CA100
Bosch Rexroth 	Bosch Rexroth 	Bosch Rexroth 	Bosch Rexroth 
YBA-B009-FA-ESA150S	YBA-B009-FAA-600-ESA500	YBA-B009-FAA-600-ESA500_SMC100	YBA-B009-FAA-735-ESA630
Tool: ESA150S Carbo Arm: CA100	Tool: ESA500 Carbo Arm: CA100	Tool: ESA500 Carbo Arm: CA400	Tool: ESA630 Carbo Arm: CA100
IR 	IR 	ATLAS COPCO 	ATLAS COPCO 
YBA-B009-FA-QX5AT	YBA-B009-QM5	YBA-B009-QST62B	YBA-B009-ST101-270-2
Tool: QX5AT Carbo Arm: CA100	Tool: QM5 Carbo Arm: CA100	Tool: QST62 Carbo Arm: CA400	Tool: ETV-ST101-270 Carbo Arm: CA400



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

TPS Controller

SPC-COM TPS controller



Model	Encoder Connector	I/O Connector	Encoder	Software
Basic				
YBA-SPC-COM-ST012M	2	1	Analog	Analog
YBA-SPC-COM-ST012S-AAL	2	1	Digital	2 ang/1 dis.
YBA-SPC-COM-ST012S-ALL	2	1	Digital	1 ang/2 dis.
YBA-SPC-COM-ST013S-AAL	3	1	Digital	3 ang/1 dis.
YBA-SPC-COM-ST013S-ALL	3	1	Digital	2 ang/2 dis.
YBA-SPC-COM-ST013S-L	3	1	Digital	3 Distance
YBA-SPC-COM-ST013S-A	3	1	Digital	3 Angle
Input Adv				
YBA-SPC-COM-ST022M	2	2	Analog	Analog
YBA-SPC-COM-ST022S-AAL	2	2	Digital	2 ang/1 dis.
YBA-SPC-COM-ST022S-ALL	2	2	Digital	1 ang/2 dis.
YBA-SPC-COM-ST023S-AAL	3	2	Digital	3 ang/1 dis.
YBA-SPC-COM-ST023S-ALL	3	2	Digital	2 ang/2 dis.
YBA-SPC-COM-ST023S-L	3	2	Digital	3 Distance
YBA-SPC-COM-ST023S-A	3	2	Digital	3 Angle
Output Adv				
YBA-SPC-COM-ST032M	2	2	Analog	Analog
YBA-SPC-COM-ST032S-AAL	2	2	Digital	2 ang/1 dis.
YBA-SPC-COM-ST032S-ALL	2	2	Digital	1 ang/2 dis.
YBA-SPC-COM-ST033S-AAL	3	2	Digital	3 ang/1 dis.
YBA-SPC-COM-ST033S-ALL	3	2	Digital	2 ang/2 dis.
YBA-SPC-COM-ST033S-L	3	2	Digital	3 Distance
YBA-SPC-COM-ST033S-A	3	2	Digital	3 Angle

Function	Basic	Input Adv	Output Adv
Workpiece	7	15	7
Position encoded output	0	0	127
Position encoded input	0	127	0



High-Tech Enterprise




烨柏®





Professional - Quality - Benefit

Pre-tightening Module B014



Patent Certificate
Number:
ZL201420396394.2
ZL201720053413.5



- Easily to use
- Easily to maintenance



High-Tech Enterprise



烨柏®




Professional - Quality - Benefit

Pre-tightening Module B014




Patent Certificate
Number:
ZL201420396394.2
ZL201720053413.5



Model Key:

YBA - B014 - 1143 B - S - S - 4



Pitch Dia.	Transmission	Output	Input	Sockets Qua.
1000 → 100mm	无 → Belt	Blank → 12mm	Blank → Hex	2 → 2
1050 → 105mm	B → Nylon Gear	Column	1/4	3 → 3
1080 → 108mm	C → Alu. Gear	F → Floating	S → S.D. 3/8	4 → 4
1100 → 110mm		5mm	S2 → S.D. 1/2	5 → 5
1120 → 112mm		S → S.D. 3/8		6 → 6
		S2 → S.D. 1/2		



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Pre-tightening Module B014

Model	Pitch Dia. [mm]	Transmission	Input	Output	Sockets	Shape	Comments
YBA-B014-D0600B-S-5	60	Nylon Gear	1/4 in Bit	3/8 in Square Drive	5	Circle	
YBA-B014-0620-4	62	Belt	1/4 in Bit	3/8 in Square Drive	4	Circle	
YBA-B014-0630-6	63	Belt	1/4 in Bit	3/8 in Square Drive	6	Circle	
YBA-B014-0630-8	63	Belt	1/4 in Bit	3/8 in Square Drive	8	Circle	
YBA-B014-B0630-8	63	Nylon Gear	1/4 in Bit	3/8 in Square Drive	8	Circle	
YBA-B014-0680-3	68	Belt	1/4 in Bit	3/8 in Square Drive	3	Circle	
YBA-B014-0700-3	70	Belt	1/4 in Bit	3/8 in Square Drive	3	Circle	
YBA-B014-0700-3B	70	Belt	1/4 in Bit	3/8 in Square Drive	3	Triangle	
YBA-B014-0820-T4SW10	82	Belt	1/4 in Bit	SW10 Bit	4	Circle	Include Drive Tool
YBA-B014-D91HSS2	91	Aluminum Gear	1/4 in Bit	3/8 in Square Drive	2	Rectangle	
YBA-B014-D91HSS2	91	Aluminum Gear	1/4 in Bit	3/4 in Square Drive	2	Rectangle	
YBA-B014-1000-3SW18	100	Belt	1/4 in Bit	SW18 Socket	3	Circle	
YBA-B014-1000-4	100	Belt	1/4 in Bit	D12mm Column	4	Circle	
YBA-B014-1000-S4	100	Belt	1/4 in Bit	3/8方头	4	Circle	
YBA-B014-1000-F4	100	Belt	1/4 in Bit	D12mm Column, 5mm Stroke	4	Circle	
YBA-B014-1000-4SW15	100	Belt	1/4 in Bit	SW15 Socket	4	Circle	
YBA-B014-1000-4SW17	100	Belt	1/4 in Bit	SW17 Socket	4	Circle	
YBA-B014-1000-4SW19	100	Belt	1/4 in Bit	SW19 Socket	4	Circle	
YBA-B014-1000-4SW21	100	Belt	1/4 in Bit	SW21 Socket	4	Circle	
YBA-B014-1000-F4SW21	100	Belt	1/4 in Bit	SW21 Socket, 5mm Stroke	4	Circle	
YBA-B014-1000-T4SW21	100	Belt	1/4 in Bit	SW21 Socket	4	Circle	Include Drive Tool
YBA-B014-1000-B4-MAKITA	100	Nylon Gear	1/4 in Bit	D12mm Column	4	Circle	Designed by Makita
YBA-B014-1000-4SW19-DU-PAS	100	Belt	1/4 in Bit	SW19 Socket	4	Circle	Designed by DU-PAS
YBA-B014-1000-5	100	Belt	1/4 in Bit	D12mm Column	5	Circle	
YBA-B014-1000-B5	100	Nylon Gear	1/4 in Bit	D12mm Column	5	Circle	
YBA-B014-1000-B5S	100	Nylon Gear	1/4 in Bit	3/8 in Square Drive	5	Circle	
YBA-B014-1000-BF5	100	Nylon Gear	1/4 in Bit	D12mm Column, 5mm Stroke	5	Circle	
YBA-B014-1000-5SW17	100	Belt	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1000-F5SW17	100	Belt	1/4 in Bit	SW17 Socket, 5mm stroke	5	Circle	
YBA-B014-1000-F5SW17F	100	Belt	1/4 in Bit	SW17 special Socket, 5mm stroke	5	Circle	
YBA-B014-1000-F5B2SW17	100	Belt	1/4 in Bit	SW17 Socket, 5mm stroke	5	Quincuncial	
YBA-B014-1000-T5SW17	100	Belt	1/4 in Bit	SW17 Socket	5	Circle	Include Drive Tool
YBA-B014-1000-FT5SW17	100	Belt	1/4 in Bit	SW17 Socket, 5mm stroke	5	Circle	Include Drive Tool
YBA-B014-1000-B5-MAKITA	100	Nylon Gear	1/4 in Bit	D12mm Column	5	Circle	Designed by Makita
YBA-B014-1010-6SW13	101	Belt	1/4 in Bit	SW13 Socket	6	Circle	
YBA-B014-1080-5	108	Belt	1/4 in Bit	D12mm Column	5	Circle	
YBA-B014-1080-5SW21	108	Belt	1/4 in Bit	SW21 Socket	5	Circle	
YBA-B014-1100-4SW17	110	Belt	1/4 in Bit	SW17 Socket	4	Circle	
YBA-B014-1100-4SW19	110	Belt	1/4 in Bit	SW19 Socket	4	Circle	
YBA-B014-1100-5SW21	110	Belt	1/4 in Bit	SW21 Socket	5	Circle	
YBA-B014-1120-F4BSW17L	112	Belt	1/4 in Bit	SW17 Socket, 5mm stroke	4	Trapezoid	
YBA-B014-1120-BF5	112	Nylon Gear	1/4 in Bit	D12mm Column, 5mm Stroke	5	Quincuncial	
YBA-B014-1120-5SW16	112	Belt	1/4 in Bit	SW16 Socket	5	Circle	
YBA-B014-1120-5SW17	112	Belt	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1120-5BSW17	112	Belt	1/4 in Bit	SW17 Socket	5	Quincuncial	
YBA-B014-1120-5BSW17L	112	Belt	1/4 in Bit	SW17 Extended Socket	5	Quincuncial	
YBA-B014-1120-F5BSW17	112	Belt	1/4 in Bit	SW17 Socket, 5mm stroke	5	Quincuncial	
YBA-B014-1120-F5SW17F	112	Belt	1/4 in Bit	SW17 special Socket, 5mm stroke	5	Circle	
YBA-B014-1120-F5SW17	112	Belt	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1120-F5SW17L	112	Belt	1/4 in Bit	SW17 Socket, 5mm stroke	5	Circle	
YBA-B014-1120-F5BSW17L	112	Belt	1/4 in Bit	SW17 Socket, 5mm stroke	5	Quincuncial	
YBA-B014-1120-F5B2SW17	112	Belt	1/4 in Bit	SW17 Socket, 5mm stroke	5	Quincuncial	
YBA-B014-1120-F-2-5SW17	112	Belt	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1120B-F-2-5SW17	112	Nylon Gear	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1120-T5SW17	112	Belt	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1120-FT5SW17	112	Belt	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1120-5SW21	112	Belt	1/4 in Bit	SW21 Socket	5	Circle	
YBA-B014-1120-5SW22	112	Belt	1/4 in Bit	SW22 Socket	5	Circle	

Notice: All sockets are made from Nylon, magnetic type



High-Tech Enterprise



桦柏®



Professional - Quality - Benefit

Pre-tightening Module B014

Model	Pitch Dia. [mm]	Transmission	Input	Output	Sockets	Shape	Comments
YBA-B014-1140-5SW21	114	Belt	1/4 in Bit	SW21 Socket	5	Circle	
YBA-B014-1143-T4SW17	114.3	Belt	1/4 in Bit	SW17 Socket	4	Circle	Include Drive Tool
YBA-B014-1143-5	114.3	Belt	1/4 in Bit	D12mm Column	5	Circle	
YBA-B014-1143-HS-5	114.3	Aluminum Gear	1/4 in Bit	3/8 in Square Drive	5	Quincuncial	
YBA-B014-1143-HST1-5	114.3	Aluminum Gear	1/4 in Bit	3/8 in Square Drive	5	Quincuncial	Include Drive Tool
YBA-B014-1143-EYFLA4A	114.3	Belt	1/4 in Bit	D12mm Column	5	Quincuncial	
YBA-B014-1143B-5	114.3	Nylon Gear	1/4 in Bit	D12mm Column	5	Circle	
YBA-B014-1143B-S-1-5	114.3	Nylon Gear	1/4 in Bit	3/8 in Square Drive	5	Circle	
YBA-B014-1143-5SW17	114.3	Belt	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1143B-5SW17	114.3	Nylon Gear	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1143-5SW19	114.3	Belt	1/4 in Bit	SW19 Socket	5	Circle	
YBA-B014-1143-T5SW19	114.3	Belt	1/4 in Bit	SW19 Socket	5	Circle	Include Drive Tool
YBA-B014-1143-5SW19-S2	114.3	Belt	1/2 Square Drive	SW19 Socket	5	Circle	
YBA-B014-1143-5SW21	114.3	Belt	1/4 in Bit	SW21 Socket	5	Circle	
YBA-B014-1143-F5SW21	114.3	Belt	1/4 in Bit	SW21 Socket, 5mm stroke	5	Circle	
YBA-B014-1143-T5SW21	114.3	Belt	1/4 in Bit	SW21 Socket	5	Circle	
YBA-B014-1143-5SW21-S2	114.3	Belt	1/2 Square Drive	SW21 Socket	5	Circle	
YBA-B014-1143-5SW21-DU-PAS	114.3	Belt	1/4 in Bit	SW21 Socket	5	Circle	
YBA-B014-1143B-5-MAKITA	114.3	Nylon Gear	1/4 in Bit	D12mm Column	5	Circle	Designed by Makita
YBA-B014-1150-2S	115	Belt	1/4 in Bit	3/8 in Square Drive	2	Rectangle	
YBA-B014-1200-5	120	Belt	1/4 in Bit	D12mm Column	5	Circle	
YBA-B014-1200-1-5	120	Belt	1/4 in Bit	D12mm Column	5	Circle	Designed by IR
YBA-B014-1200-5SW17	120	Belt	1/4 in Bit	SW17 Socket	5	Circle	
YBA-B014-1200-5SW21	120	Belt	1/4 in Bit	SW21 Socket	5	Circle	
YBA-B014-1200-5SW21_BT	120	Belt	1/4 in Bit	SW21 special Socket	5	Circle	
YBA-B014-1200B-1-5SW21	120	Nylon Gear	1/4 in Bit	SW21 Socket	5	Circle	Designed by IR
YBA-B014-1200-6	120	Belt	1/4 in Bit	D12mm Column	6	Circle	
YBA-B014-1200-6SW22	120	Belt	1/4 in Bit	SW22 Socket	6	Circle	
YBA-B014-1300-5SW22	130	Belt	1/4 in Bit	SW22 Socket	5	Circle	
YBA-B014-1320-6	132	Belt	1/4 in Bit	D12mm Column	6	Circle	
YBA-B014-1320-6SW22	132	Belt	1/4 in Bit	SW22 Socket	6	Circle	
YBA-B014-1380-2S	138	Belt	1/4 in Bit	3/8 in Square Drive	2	Rectangle	
YBA-B014-1397B-S-1-6	139.7	Nylon Gear	1/4 in Bit	3/8 in Square Drive	6	Circle	Designed by IR
YBA-B014-1397-6SW17	139.7	Belt	1/4 in Bit	SW17 Socket	6	Circle	
YBA-B014-1397-6SW19	139.7	Belt	1/4 in Bit	SW19 Socket	6	Circle	
YBA-B014-1400-6	140	Belt	1/4 in Bit	D12mm Column	6	Circle	
YBA-B014-1400-6SW21	140	Belt	1/4 in Bit	SW21 Socket	6	Circle	
YBA-B014-1509-4BSW19	150.9	Belt	1/4 in Bit	SW21 Socket	4	Circle	
YBA-B014-1600-5SW21	160.9	Belt	1/4 in Bit	SW21 Socket	5	Circle	

Notice: All sockets are made from Nylon, magnetic type



Nylon magnetic Socket



Telescopic Nylon magnetic Socket

Model	Description	SW [mm]
YBA-B014-SW15	Nylon Magnetic Socket	15
YBA-B014-SW17	Nylon Magnetic Socket	17
YBA-B014-SW17L	Extended Nylon Magnetic Socket	17
YBA-B014-FSW17	Telescopic Nylon Magnetic Socket	17
YBA-B014-FSW17L	Extended Telescopic Nylon Magnetic Socket	17
YBA-B014-SW19	Nylon Magnetic Socket	19
YBA-B014-SW21	Nylon Magnetic Socket	21
YBA-B014-FSW21	Telescopic Nylon Magnetic Socket	21
YBA-B014-SW22	Nylon Magnetic Socket	22



High-Tech Enterprise






烨柏®



Professional - Quality - Benefit

Crowfoot Head B017

2 Gear Stages Closed





High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

特殊头B017

Closed/Open End





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

特殊头B017

Hold & Drive



Notice:
All are customized products. Any need please contact Yebo Sales.



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Multiple Nutrunner Carrier B018



Notice:
All are customized products. Any need please contact Yebo Sales.



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Swiveling Suspension Yoke B020



Patent Certificate
Number:
ZL201630486988.7

Tool Brand	Tool Model	Model (Suspension Yoke)
ATLAS	ETV STR31	YBA-B020-505400
	ETD STR31	
	ETV STR61	
	ETD STR61	
	ETV ST81	YBA-B020-560430
	ETD ST81	
	ETP ST70/90/120	YBA-B020-505460
	ETP ST101750-2000	YBA-B020-615540
	ETV ES21	YBA-B020-505365
	ETD ES21	
APEX	ETV ES61	YBA-B020-505450
	ETD ES61	
	18EA...AL2	YBA-B020-505465
	18EA...AM3	
	18EA...F1...	
	48EA...AH4	YBA-B020-560559H
	48EA135MH4	YBA-B020-505465
	48EA...AX6	
	48EA...F2...	YBA-B020-560465
	48EA...F3...	
	48EA...F4...	YBA-B020-560559H
	48EA...H... more than 100NM	
	48EA...H... more than 100NM	YBA-B020-560465
	67EA...AL6	YBA-B020-669554
	67EA...AM6	YBA-B020-669668

Tool Brand	Tool Model	Model (Suspension Yoke)
DDK	HFT-015M50-A1	YBA-B020-505400
	HFT-025M80-A1	
	HFT-040M80-A	
	HFT-060M80-A	YBA-B020-615520
	HFT-080M80-A	
	HFT-130M80-A	
ESTIC	HFT-200M80-A	YBA-B020-505390
	EH2-R1020-P	
	EH2-R1020-A	YBA-B020-505470
	EH2-R1030-A	
	EH2-R2050-A	YBA-B020-505480
	EH2-R2080-A	
	EH2-R2120-A	
Bosch	EH2-R2180-A	YBA-B020-615500
	ESA005/013/030/040/056/065/075	
AMT	ESA100/150/220	YBA-B020-735630
	HXC1015WV14	YBA-B020-505446
	HXC2100WV12	YBA-B020-615490



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit


Work Bench B029



YBA-B029-GZT03_XS



YBA-B029-GZT08B



YBA-B029-GZT06-JQ



YBA-B029-GZT05



High-Tech Enterprise



烨柏®




Professional - Quality - Benefit

Work Bench B029



YBA-B029-GZT02



YBA-B029-GZT04

Notice:
All are customized products. Any need please
contact Yebo Sales.



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031



Patent Certificate

Number:

ZL201420396776.5

ZL201420396772.7

ZL201530121551.0

ZL201530411403.0

ZL201620183214.1




ZL201620011713.2

ZL201630086425.9

ZL201630086427.8

ZL201630657223.5

ZL201630657221.6





High-Tech Enterprise





烨柏®




Professional - Quality - Benefit

Aluminum Crane Rail B031

Profile A055



Load Chart Profile A055 (For reference only)



Model (Order Number):

L=1000mm	YBA-B031-A055-1000
L=2000mm	YBA-B031-A055-2000
L=3000mm	YBA-B031-A055-3000
L=4000mm	YBA-B031-A055-4000
L=5000mm	YBA-B031-A055-5000
L=6000mm	YBA-B031-A055-6000

Weight: 1.5Kg/m

Max. Length Single Rail: 6m



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit


Aluminum Crane Rail B031

A055 Application – Single Lane



Item	Model	Description	Quantity	Comments
1	YBA-B031-A055-xxxx	Crane Rail	1	Length by request
2	YBA-B031-405D	End Stop Adjustable	2	
3	YBA-B031-311	Profile End Cover A055	2	
4	YBA-BLD-3	Balancer	1	
5	YBA-B031-261	Trolley Single Rail	1	

A055 Application – Double lane



Item	Model	Description	Quantity	Comments
1	YBA-B031-A055-xxxx	Crane Rail	2	Length by request
2	YBA-B031-A055-xxxx	Crane Rail	2	Length by request
3	YBA-B031-405D	End Stop Adjustable	2	
4	YBA-B031-311	Profile End Cover for A055	8	
5	YBA-B031-263	Trolley Double Rail	2	
6	YBA-B046-A10-LS-5-A055	Distance Encoder	2	



High-Tech Enterprise





烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031

Accessory A055

			
YBA-B031-261	YBA-B031-311	YBA-B031-263	YBA-B031-405D
Trolley Single Rail	Profile End Cover	Trolley Double Rail	End Stop Adjustable



High-Tech Enterprise





烨柏®




Professional - Quality - Benefit

Aluminum Crane Rail B031

Profile A065



Load chart profile A065(For reference only)



Model (Order Number):

L=1000mm	YBA-B031-A065-1000
L=2000mm	YBA-B031-A065-2000
L=3000mm	YBA-B031-A065-3000
L=4000mm	YBA-B031-A065-4000
L=5000mm	YBA-B031-A065-5000
L=6000mm	YBA-B031-A065-6000

Weight: 3Kg/m

Max. Length Single Rail: 6m



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031

Profile A065 Application – Single Lane



Item	Model	Description	Quantity	Comments
1	YBA-B031-A065-xxxx	Crane Rail	1	Length by Request
2	YBA-B031-234	End Fix Cable	1	
3	YBA-B031-233	Cable Trolley	X	
4	YBA-B031-219	Trolley Single Rail	1	
5	YBA-B031-405B	End Stop adjustable	2	
6	YBA-B031-110C	Clasping bracket rigid mounting	X	
7	YBA-B031-420	Safety System	2	
8	YBA-B031-301	Profile End Cover	2	
9	YBA-B031-407	End Stop Fix	2	



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031

Profile A065 Application (Compact) – Double Lane



Item	Model	Description	Quantity	Comments
1	YBA-B031-A065-xxxx	Crane Rail	2	Length by Request
2	YBA-B031-A065-xxxx	Crane Rail	2	Length by Request
3	YBA-B031-430	Trolley Suspension Cord	2	
4	YBA-B031-238	Cable Trolley on Cord	x	
5	YBA-B031-234	End Fix Cable	2	
6	YBA-B031-110C	Clasping bracket rigid mounting	x	
7	YBA-B031-420	Safety System	4	
8	YBA-B031-407	End Stop Fix	8	
9	YBA-B031-405B	End Stop Adjustable	2	
10	YBA-B031-405C	End Stop Adjustable	2	
11	YBA-B031-239	Trolley Double Rail	2	
12	YBA-B031-301	Profile End Cover A065	8	
13	YBA-2302-10-V-24-A65	Distance Encoder for X Position Measurement	1	
14	YBA-2302-10-V-24-A65-2	Distance Encoder for Y Position Measurement	1	
15	YBA-2302-10-V-24-100Z	Distance Encoder for Z Position Measurement	1	



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031

Profile A065 Application (Normal) – Double Lane



Item	Model	Description	Quantity	Comments
1	YBA-B031-A065-xxxx	Crane Rail	2	Length by Request
2	YBA-B031-A065-xxxx	Crane Rail	2	Length by Request
3	YBA-B031-110C	Clasping bracket rigid mounting	x	
4	YBA-B031-420	Safety System	4	
5	YBA-B031-407	End Stop Fix	8	
6	YBA-B031-301	Profile End Cover A065	8	
7	YBA-B031-405B	End Stop adjustable	2	
8	YBA-B031-220L	Rail Trolley	2	
9	YBA-B031-405C	End Stop adjustable	2	
10	YBA-B031-234	End Fix Cable	2	
11	YBA-B031-430	Trolley Suspension Cord	2	
12	YBA-B031-238	Cable Trolley on Cord	x	
13	YBA-B031-408	Rail Spacer	2	
14	YBA-xxxx-D4-V-A65	Distance Encoder for X Position Measurement	1	
15	YBA-xxxx-D4-V-A65	Distance Encoder for Y Position Measurement	1	
16	YBA-2302-10-V-24-100Z	Distance Encoder for Z Position Measurement	1	



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031

Accessory A065

YBA-B031-218	YBA-B031-219	YBA-B031-220	YBA-B031-219D
Trolley Single Rail	Trolley Single Rail	Trolley Single Rail Lengthened	Trolley Single Rail Air Drive
YBA-B031-239	YBA-B031-220L	YBA-B031-220D	YBA-B031-403
Trolley Double Rail	Trolley Double Rail	Trolley Single Rail	Crane Girder Mounting 0°
YBA-B031-404	YBA-B031-110	YBA-B031-110C	YBA-B031-420
Crane Girder Mounting 90°	Rigid Mounting	Clasp bracket rigid mounting	Safety System
YBA-B031-301	YBA-B031-233	YBA-B031-238	YBA-B031-234
Profile End Cover A065	Cable Trolley	Cable Trolley on Cord	End Fix Cable



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031

Accessory A065

			
YBA-B031-430-Length	YBA-B031-408-	YBA-B031-405C	YBA-B031-405B
Trolley Suspension Cord	Rail Spacer	End Stop Adjustable	End Stop Adjustable
			
YBA-B031-407	YBA-B031-601		
End Stop Fix	Extension Mounting Plate		



High-Tech Enterprise





烨柏®




Professional - Quality - Benefit

Aluminum Crane Rail B031

Profile A105



Load chart profile A105(For reference only)



Model (Order Number):

L=1000mm	YBA-B031-A105-1000
L=2000mm	YBA-B031-A105-2000
L=3000mm	YBA-B031-A105-3000
L=4000mm	YBA-B031-A105-4000
L=5000mm	YBA-B031-A105-5000
L=6000mm	YBA-B031-A105-6000

Weight: 7.1Kg/m

Max. Length Single Rail: 6m



High-Tech Enterprise





烨柏®




Professional - Quality - Benefit

Aluminum Crane Rail B031

Profile A140



Load chart profile A140(For reference only)



Model (Order Number) :

L=1000mm	YBA-B031-A140-1000
L=2000mm	YBA-B031-A140-2000
L=3000mm	YBA-B031-A140-3000
L=4000mm	YBA-B031-A140-4000
L=5000mm	YBA-B031-A140-5000
L=6000mm	YBA-B031-A140-6000

Weight: 9.2Kg/m

Max. Length Single Rail: 6m



High-Tech Enterprise




烨柏®




Professional - Quality - Benefit

Aluminum Crane Rail B031

Profile A180



承载力数据图A180 (仅供参考) /Load chart profile A180(For reference only)



订货编号/Order Number:

L=1000mm	YBA-B031-A180-1000
L=2000mm	YBA-B031-A180-2000
L=3000mm	YBA-B031-A180-3000
L=4000mm	YBA-B031-A180-4000
L=5000mm	YBA-B031-A180-5000
L=6000mm	YBA-B031-A180-6000

Weight: 11.2Kg/m
Max. Length Single Rail: 6m



High-Tech Enterprise




烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031

A105/A140/A180 Application – Double Lane



Item	Model	Description	Quantity	Comments
1	YBA-B031-A105-xxxx	Crane Rail	2	Length by Request
2	YBA-B031-A105-xxxx	Crane Rail	2	Length by Request
3	YBA-B031-201	Rail Trolley	4	
4	YBA-B031-402	Crane Girder Mounting 90°	4	
5	YBA-B031-409-350	Spacer Rail	2	
6	YBA-B031-421	Safety System	4	
7	YBA-B031-105	Rigid mounting	x	
8	YBA-B031-T080	Towing Arm for Energy Chain	2	
9	YBA-B031-405	End Stop Adjustable	8	
10	YBA-B031-406	End Stop Fix	8	
11	YBA-B031-302	Profile End Cover A105	8	
12	YBA-D4-V-A105	Distance Encoder for X Position Measurement A105	1	
13	YBA-D4-V-A105	Distance Encoder for Y Position Measurement A105	1	



High-Tech Enterprise











烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031

Accessory A105/A140/A180

			
YBA-B031-201	YBA-B031-202	YBA-B031-205	YBA-B031-206
Rail Trolley	Rail Trolley Lengthened	Rail Trolley (High Load)	Rail Trolley Lengthened (High Load)
			
YBA-B031-209	YBA-B031-210	YBA-B031-218B	YBA-B031-401
Tandem Rail Trolley	Tandem Rail Trolley with Mounting	Trolley Single Rail	Crane Girder Mounting 0°
			
YBA-B031-402	YBA-B031-402L	YBA-B031-101	YBA-B031-105
Crane Girder Mounting 90°	Crane Girder Mounting 90°	Rigid Mounting 0°	Rigid Mounting 90°
			
YBA-B031-421	YBA-B031-235	YBA-B031-231	YBA-B031-232
Safety System	Cable Trolley	Cable Trolley (high Load)	Cable Trolley (High Load)



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Aluminum Crane Rail B031

A105/A140/A180轨道附件

YBA-B031-236	YBA-B031-236B	YBA-B031-238	YBA-B031-430
End Fix	End Fix	Cable Trolley on Cord	Rail Suspension Cord
YBA-B031-409-	YBA-B031-302	YBA-B031-303	YBA-B031-304
Spacer Rail A105	Profile End Cover A105	Profile End Cover A140	Profile End Cover A180
YBA-B031-405	YBA-B031-406	YBA-B031-T080	YEBO-D-B031-M31B
End Stop Adjustable	End Stop Fix	Energy Chain Tray	Towing arm for energy chain
YEBO-D-B031-084B2	YBA-B031-602	YBA-B031-603	YBA-B031-604
Towing arm for energy chain	Extension Mounting Plate	Extension Mounting Plate	Extension Mounting Plate



High-Tech Enterprise





烨柏®



Professional - Quality - Benefit


Aluminum Crane Rail B031

A105/A140/A180轨道附件

			
YBA-B031-305	YBA-B031-501		
Air Parking	Air Drive		


Cable Tray YBA-B016-001

Work with cable trolley YBA-B031-231



Cable Tray YBA-B016-002

Work with cable trolley YBA-B031-232





High-Tech Enterprise



烨柏®






Professional - Quality - Benefit

Aluminum Crane Rail B031

Spacer Rail Model

Spacer Rail A065	YBA-B031-408-XL
Spacer Rail A105	YBA-B031-409-XL
Spacer Rail A140	YBA-B031-410-XL
Spacer Rail A180	YBA-B031-411-XL



Air Drive: YBA-B031-501



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Catalog 2023



YEBO Automation Equipment(Shanghai) Co., Ltd

Address: Building 2, No. 79 Xiangjing Road, Songjiang District, Shanghai, China

Phone: 086-400-999-0423 086-021-57707179

wen@yebo-automation.com

sales@yebo-automation.com



企业公众号

版本/发布06/2023

©版权所有 烨柏自动化设备股份有限公司

拷贝复制或其中的小部分必须得到烨柏自动化设备股份有限公司的书面授权

在此目录中的所有信息都是我们精心准备和检查过的。不过,我们不承担因此目录不完整及错误信息的任何责任。

我们会及时发布新版本的目录。

上述指定数据仅用于对产品进行说明。待该开发或基于原标准有改进时,我们保留权利做技术上的改变。

应当指出的,我们的产品受到磨损及老化是自然过程。

如有技术更改,该内容可能有所不同。待所有的技术修改后,做该内容的更新加以区分。

上海烨柏自动化设备股份有限公司 上海松江区香泾路79号2号楼 电话: 400-999-0423 www.yebo-automation.com