



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Air Balance Articulated Arms B002

Patent Certificate
Number:
ZL201630304167.7



Model	Max. Torque [Nm]		Max. Load [Kg]	Vertical Stroke [mm]	Reach Range [mm]
	Vertical	Horizontal			
YBA-B002-250R	250	250	30	400 ~ 700mm	1300 ~ 2200mm
YBA-B002-250L	250	250	30	400 ~ 700mm	1300 ~ 2200mm
YBA-B002-500R	500	500	60	1000 ~ 1800mm	2000 ~ 3000mm
YBA-B002-500L	500	500	60	1000 ~ 1800mm	2000 ~ 3000mm
YBA-B002-1000R	1000	1000	80	1100 ~ 2100mm	2000 ~ 3500mm
YBA-B002-1000L	1000	1000	80	1100 ~ 2100mm	2000 ~ 3500mm
YBA-B002-2000R	2000	2000	90	1900 ~ 2600mm	3000 ~ 4500mm
YBA-B002-2000L	2000	2000	90	1900 ~ 2600mm	3000 ~ 4500mm








High-Tech Enterprise



Professional - Quality - Benefit

Air Balance Articulated Arms B002





High-Tech Enterprise



Professional - Quality - Benefit

Handy Arm HA

HA Series Handy Arm





High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Handy Arm HA

Model	Folding Side	Max. Torque [Nm]	Reach Capacity R [mm]	Tube Length H [mm]	Stroke Z [mm]	Arm Height T [mm]
Standard						
YBA-HA100-L1500-Z500H1000	Left	100	1500	1000	500	2500
YBA-HA100-R1500-Z500H1000	Right	100	1500	1000	500	2500
YBA-HA100-L2000-Z500H1000	Left	100	2000	1000	500	2500
YBA-HA100-R2000-Z500H1000	Right	100	2000	1000	500	2500
YBA-HA100-L2500-Z500H1000	Left	100	2500	1000	500	2500
YBA-HA100-R2500-Z500H1000	Right	100	2500	1000	500	2500
YBA-HA200-L1500-Z500H1000	Left	200	1500	1000	500	2500
YBA-HA200-R1500-Z500H1000	Right	200	1500	1000	500	2500
YBA-HA200-L2000-Z500H1000	Left	200	2000	1000	500	2500
YBA-HA200-R2000-Z500H1000	Right	200	2000	1000	500	2500
YBA-HA200-L2500-Z500H1000	Left	200	2500	1000	500	2500
YBA-HA200-R2500-Z500H1000	Right	200	2500	1000	500	2500
YBA-HA300-L1500-Z500H1000	Left	300	1500	1000	500	2500
YBA-HA300-R1500-Z500H1000	Right	300	1500	1000	500	2500
YBA-HA300-L2000-Z500H1000	Left	300	2000	1000	500	2500
YBA-HA300-R2000-Z500H1000	Right	300	2000	1000	500	2500
Arm with TPS						
YBA-HA100P-L1500-Z500H1000	Left	100	1500	1000	500	2500
YBA-HA100P-R1500-Z500H1000	Right	100	1500	1000	500	2500
YBA-HA100P-L2000-Z500H1000	Left	100	2000	1000	500	2500
YBA-HA100P-R2000-Z500H1000	Right	100	2000	1000	500	2500
YBA-HA100P-L2500-Z500H1000	Left	100	2500	1000	500	2500
YBA-HA100P-R2500-Z500H1000	Right	100	2500	1000	500	2500
YBA-HA200P-L1500-Z500H1000	Left	200	1500	1000	500	2500
YBA-HA200P-R1500-Z500H1000	Right	200	1500	1000	500	2500
YBA-HA200P-L2000-Z500H1000	Left	200	2000	1000	500	2500
YBA-HA200P-R2000-Z500H1000	Right	200	2000	1000	500	2500
YBA-HA200P-L2500-Z500H1000	Left	200	2500	1000	500	2500
YBA-HA200P-R2500-Z500H1000	Right	200	2500	1000	500	2500
YBA-HA300P-L1500-Z500H1000	Left	300	1500	1000	500	2500
YBA-HA300P-R1500-Z500H1000	Right	300	1500	1000	500	2500
YBA-HA300P-L2000-Z500H1000	Left	300	2000	1000	500	2500
YBA-HA300P-R2000-Z500H1000	Right	300	2000	1000	500	2500

Notice:

1. Can be customized products.
2. Model key see right picture

YBA – HA 100 P - R 1500 T2000 – Z500 H1000

Max. torque	Encoder	Articulated	Max. Reach Column	Z Stroke	Tube Length
100 → 60Nm	Blank → No	L → Left	1000mm	300 → 300mm	
200 → 160Nm	P → X/Y	R → Right	1250mm	400 → 400mm	
300 → 300Nm	ZP → X/Y/Z		1500mm	500 → 500mm	
500 → 500Nm			1750mm		
			2000mm		
			2500mm		



High-Tech Enterprise



Professional - Quality - Benefit

Handy Arm HA

