



High-Tech Enterprise



烨柏®




Professional - Quality - Benefit

Operator Handle B003

Patent Certificate Number:

ZL201430242625.X
ZL201430242684.7
ZL201430313735.0
ZL201530411443.5
ZL201630086429.7
ZL201630487297.0
ZL201630487290.7
ZL201630487296.4
ZL201630487289.4
ZL201630486985.3
ZL201630475825.9





High-Tech Enterprise

YBA®

烨柏®

YEBO®
AUTOMATION

Professional - Quality - Benefit

Operator Handle B003

Operator Handle (Electric Control)

 Lever (1NC/NO)	 Lever (1NC/NO) Toggle (1NC/NO)	 Lever (1NC/NO) LED (R/G)	 Lever (1NC/NO) Toggle (1NC/NO) LED (R&G)
YBA-B003-101	YBA-B003-102	YBA-B003-103	YBA-B003-104
 Button (1NC/NO)	 Button (1NC/NO) Toggle (1NC/NO)	 Button (1NC/NO) LED (R&G)	 Button (1NC/NO) Toggle (1NC/NO) LED (R&G)
YBA-B003-201	YBA-B003-202	YBA-B003-203	YBA-B003-204
 Lever (1NO)	 Lever (1NO) LED (R&G)	 Lever (1NO) Toggle (1NC/NO)	 Lever (1NO) Button (2NO)
YBA-B003-0301	YBA-B003-0302	YBA-B003-0303	YBA-B003-0304
 Lever (1NO) Button (2NO) LED (R&G)	 Lever (1NO) Button (2NO) Toggle (1NC/NO)	 Button (1NO)	 Button (2NO)
YBA-B003-0305	YBA-B003-0306	YBA-B003-0501	YBA-B003-0502

Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise

YBA®

烨柏®

YEBO®
AUTOMATION

Professional - Quality - Benefit

Operator Handle B003

Operator Handle (Electric Control)

 Lever (1NO) Button (2NO)	 Button (1NO) Button (1NC/NO) LED (R/G)	 Lever (1NO) Rotation (1NC/NO) LED (R/G/Y) E-Stop (1NC)	 Lever (1NO) Rotation (1NC/1NO) LED (R/G/Y) Output spindle
YBA-B003-0503	YBA-B003-901	YBA-B003-903	YBA-B003-904
 Button (1NO)			
YBA-B003-301			

Operator Handle (Air Control)

 Single valve (5 way with 2 position)	 Single valve (3 way with 2 position)	 Double valve (3 way with 2 position)	
YBA-B003-105	YBA-B003-0507	YBA-B003-0508	

Operator Handle

 M8 Screw hole	 M10 Screw hole	 M12 Bolt Push pole	 M12 Screw hole
YBA-B003-302	YBA-B003-303	YBA-B003-304	YBA-B003-305

Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Operator Handle B003

Switch overview

Model	Operate	Lever	Button	Toggle	Rotation	E-Stop	LED	Length [mm]	Weight [Kg]	Mounting Hole
YBA-B003-101L	Left Hand	1NC/NO	-	-	-	-	-	185	0.8	2*M6
YBA-B003-101R	Right Hand	1NC/NO	-	-	-	-	-	185	0.8	2*M6
YBA-B003-102L	Left Hand	1NC/NO	-	1NC/NO	-	-	-	185	0.8	2*M6
YBA-B003-102R	Right Hand	1NC/NO	-	1NC/NO	-	-	-	185	0.8	2*M6
YBA-B003-103L	Left Hand	1NC/NO	-	-	-	-	R/G	185	0.8	2*M6
YBA-B003-103R	Right Hand	1NC/NO	-	-	-	-	R/G	185	0.8	2*M6
YBA-B003-104L	Left Hand	1NC/NO	-	1NC/NO	-	-	R/G	185	0.8	2*M6
YBA-B003-104R	Right Hand	1NC/NO	-	1NC/NO	-	-	R/G	185	0.8	2*M6
YBA-B003-201L	Left Hand	-	1NC/NO	-	-	-	-	237	0.8	1*M8+2*Ø5
YBA-B003-201R	Right Hand	-	1NC/NO	-	-	-	-	237	0.8	1*M8+2*Ø5
YBA-B003-202L	Left Hand	-	1NC/NO	1NC/NO	-	-	-	237	0.8	1*M8+2*Ø5
YBA-B003-202R	Right Hand	-	1NC/NO	1NC/NO	-	-	-	237	0.8	1*M8+2*Ø5
YBA-B003-203L	Left Hand	-	1NC/NO	-	-	-	R/G	237	0.8	1*M8+2*Ø5
YBA-B003-203R	Right Hand	-	1NC/NO	-	-	-	R/G	237	0.8	1*M8+2*Ø5
YBA-B003-204L	Left Hand	-	1NC/NO	1NC/NO	-	-	R/G	237	0.8	1*M8+2*Ø5
YBA-B003-204R	Right Hand	-	1NC/NO	1NC/NO	-	-	R/G	237	0.8	1*M8+2*Ø5
YBA-B003-0301L	Left Hand	1NO	-	-	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0301R	Right Hand	1NO	-	-	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0302L	Left Hand	1NO	-	-	-	-	R/G	190	0.9	4*M6+1*M8
YBA-B003-0302R	Right Hand	1NO	-	-	-	-	R/G	190	0.9	4*M6+1*M8
YBA-B003-0303L	Left Hand	1NO	-	1NC/NO	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0303R	Right Hand	1NO	-	1NC/NO	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0304L	Left Hand	1NO	2NO	-	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0304R	Right Hand	1NO	2NO	-	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0305L	Left Hand	1NO	2NO	-	-	-	R/G	190	0.9	4*M6+1*M8
YBA-B003-0305R	Right Hand	1NO	2NO	-	-	-	R/G	190	0.9	4*M6+1*M8
YBA-B003-0306L	Left Hand	1NO	2NO	1NC/NO	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0306R	Right Hand	1NO	2NO	1NC/NO	-	-	-	190	0.9	4*M6+1*M8
YBA-B003-0501L	Left Hand	-	1NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0501R	Right Hand	-	1NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0502L	Left Hand	-	2NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0502R	Right Hand	-	2NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0503L	Left Hand	1NO	2NO	-	-	-	-	170	0.6	2-M6
YBA-B003-0503R	Right Hand	1NO	2NO	-	-	-	-	170	0.6	2-M6
YBA-B003-301	Both	-	1NO	-	-	-	-	150	0.4	M12
YBA-B003-901	Both	-	1NO+1NC/NO	-	-	-	R/G	150	0.4	2-M6
YBA-B003-903	Both	-	1NO	-	1NC/NO	1NC	R/G/Y	150	0.4	4*M4
YBA-B003-904	Both	-	1NO	-	1NC/NO	1NC	R/G/Y	150	0.4	4*M4



High-Tech Enterprise

YBA®

烨柏®

YEBO®
AUTOMATION

Professional - Quality - Benefit

Operator Handle B003

Operator Handle with ball mounting (Electric control)

	 Button (2NO)	 Button (1NC/1NO)	 Button (1NC/NO) Button (2NO)
YBA-B003-401	YBA-B003-402	YBA-B003-403	YBA-B003-404
 Button (1NC/1NO) Button (4NO)	 Button (1NO) Toggle (1NC/NO)	 Button (1NO) Toggle (1NC/NO) Encoder (16)	 Button (1NO) Toggle (1NC/NO) Button (4NO)
YBA-B003-405	YBA-B003-406	YBA-B003-407	YBA-B003-408
 Button (1NO) Toggle (1NC/NO) Button (4NO) Encoder (16)	 Button (1NO) Toggle (1NC/NO) LED (R/G)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Encoder (16)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Button (4NO)
YBA-B003-409	YBA-B003-410	YBA-B003-411	YBA-B003-412
 Button (1NO) Toggle (1NC/NO) Button (4NO) Encoder (16) LED (R/G)	 Button (2NO)	 Button (3NO)	 Button (1NO) Toggle (1NC/NO) Button (4NO) E-Stop (1NC)
YBA-B003-413	YBA-B003-414	YBA-B003-415	YBA-B003-417

Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise



烨柏®




Professional - Quality - Benefit


Operator Handle B003

Operator Handle with ball mounting (Electric control)

 Button (1NO) E-Stop (1NC)			
YBA-B003-418			

Mounting bracket for ball

			
YBA-B003-801	YBA-B003-802	YBA-B003-803	YBA-B003-804
Bracket	Bracket	Connector	Connector to pole

			
YBA-B003-814			
Extension			



Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise



烨柏®



Professional - Quality - Benefit

Operator Handle B003

Operator Handle with cylinder mounting (Electric control)

	 Button (2NO)	 Button (1NC/NO)	 Button (1NC/NO) Button (2NO)
YBA-B003-601	YBA-B003-602	YBA-B003-603	YBA-B003-604
 Button (1NC/NO) Button (4NO)	 Button (1NO) Toggle (1NC/NO)	 Button (1NO) Toggle (1NC/NO) Encoder (16)	 Button (1NO) Toggle (1NC/NO) Button (4NO)
YBA-B003-605	YBA-B003-606	YBA-B003-607	YBA-B003-608
 Button (1NO) Toggle (1NC/NO) Button (4NO) Encoder (16)	 Button (1NO) Toggle (1NC/NO) LED (R/G)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Encoder (16)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Button (4NO)
YBA-B003-609	YBA-B003-610	YBA-B003-611	YBA-B003-612
 Button (1NO)	 Button (2NO)	 Button (3NO)	 Button (1NO) Toggle (1NC/NO) LED (R/G) Button (4NO) Encoder (16)
YBA-B003-613	YBA-B003-614	YBA-B003-615	YBA-B003-616

Notice: All operator handle equipped with 1.5m cable



High-Tech Enterprise



Professional - Quality - Benefit

Operator Handle B003

Mounting bracket for cylinder

YBA-B003-805	YBA-B003-806	YBA-B003-807	YBA-B003-816
Bracket	Bracket	Bracket	Connector to Pole

Switch Overview

Model	Button	Toggle	E-Stop	Encoder	LED	Length [mm]	Weight [Kg]	Mounting
YBA-B003-401	-	-	-	-	-	285	0.7	Ball
YBA-B003-402	2NO	-	-	-	-	285	0.75	Ball
YBA-B003-403	1NC/NO	-	-	无	-	285	0.7	Ball
YBA-B003-404	1NC/NO+2NO	-	-	无	-	285	0.75	Ball
YBA-B003-405	1NC/NO+4NO	-	-	无	-	285	0.8	Ball
YBA-B003-406	1NO	1NC/NO	-	无	-	285	0.7	Ball
YBA-B003-407	1NO	1NC/NO	-	16位	-	320	0.7	Ball
YBA-B003-408	1NO+4NO	1NC/NO	-	-	-	285	0.8	Ball
YBA-B003-409	1NO+4NO	1NC/NO	-	16位	-	320	0.8	Ball
YBA-B003-410	1NO	1NC/NO	-	-	红/绿	285	0.7	Ball
YBA-B003-411	1NO	1NC/NO	-	16位	红/绿	320	0.7	Ball
YBA-B003-412	1NO+4NO	1NC/NO	-	-	红/绿	285	0.8	Ball
YBA-B003-413	1NO+4NO	1NC/NO	-	16位	红/绿	320	0.8	Ball
YBA-B003-414	2NO	-	-	-	-	285	0.75	Ball
YBA-B003-415	1NO+2NO	-	-	-	-	285	0.75	Ball
YBA-B003-417	1NO+4NO	1NC/NO	1NC	-	-	340	0.8	Ball
YBA-B003-418	1NC/NO	-	1NC	-	-	340	0.7	Ball
YBA-B003-601	-	-	-	-	-	255	0.7	Cylinder
YBA-B003-602	2NO	-	-	-	-	255	0.75	Cylinder
YBA-B003-603	1NC/NO	-	-	-	-	255	0.7	Cylinder
YBA-B003-604	1NC/NO+2NO	-	-	-	-	255	0.75	Cylinder
YBA-B003-605	1NC/NO+4NO	-	-	-	-	255	0.8	Cylinder
YBA-B003-606	1NO	1NC/NO	-	-	-	255	0.7	Cylinder
YBA-B003-607	1NO	1NC/NO	-	16位	-	285	0.7	Cylinder
YBA-B003-608	1NO+4NO	1NC/NO	-	-	-	255	0.8	Cylinder
YBA-B003-609	1NO+4NO	1NC/NO	-	16位	-	285	0.8	Cylinder
YBA-B003-610	1NO	1NC/NO	-	-	红/绿	255	0.7	Cylinder
YBA-B003-611	1NO	1NC/NO	-	16位	红/绿	285	0.7	Cylinder
YBA-B003-612	1NO+4NO	1NC/NO	-	-	红/绿	255	0.8	Cylinder
YBA-B003-613	1NO	-	-	-	-	170	0.35	Cylinder
YBA-B003-614	2NO	-	-	-	-	255	0.75	Cylinder
YBA-B003-615	1NO+2NO	-	-	-	-	255	0.75	Cylinder
YBA-B003-616	1NO+4NO	1NC/NO	1NC	16位	红/绿	285	0.8	Cylinder